

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/29/2021 Revision date: 6/20/2023 Supersedes version of: 3/15/2022 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

 Product name
 : Alien Type #EU37529F

 UFI
 : 51XA-Y37J-900Y-TK74

Product code : EU37529F

Type of product : Perfumes, fragrances
Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

## 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP) : Warning

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Iso E Super; Hexyl cinnamic aldehyde; d-Limonene; Vertenex; Floralozone; Helional; trans-

Anethole; Cedramber

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	29.9 – 59.8	Not classified
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	3 – 6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	2.7 – 5.4	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	2 – 4	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	1.65 – 3.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	1.45 – 2.9	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Yara Yara crystals	CAS-No.: 93-04-9 EC-No.: 202-213-6	1.3 – 2.6	Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.55 – 2.2	Eye Irrit. 2, H319
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.9 – 1.8	Skin Sens. 1B, H317
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.675 – 1.35	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.275 – 0.55	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
trans-Anethole	CAS-No.: 4180-23-8 EC-No.: 224-052-0	0.175 – 0.35	Skin Sens. 1B, H317
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.15 – 0.3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
lauryl alcohol substance with national workplace exposure limit(s) (LV, SI)	CAS-No.: 112-53-8 EC-No.: 203-982-0	0.15 – 0.3	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

First-aid measures after eye contact

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

: Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

## 7.3. Specific end use(s)

No additional information available

6/20/2023 (Revision date) EN (English) 4/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Poland - Occupational Exposure Limits  NDS (OEL TWA)  400 mg/m²  d-Limonene (5889-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]  140 mg/m²  HTP (OEL STEL)  280 mg/m²  HTP (OEL STEL)  280 mg/m²  HTP (OEL STEL)  280 mg/m²  HTP (OEL STEL) [ppm]  50 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1]  28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2]  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA 28 mg/m²  OEL TWA [ppm]  5 ppm  OEL STEL [112 mg/m²  OEL STEL [112 mg/m²  OEL STEL [ppm]  20 ppm  OEL OEL TWA [1]  VAA-ED (OEL TWA) [2]  VAA-ED (OEL TWA) [2]  Spain - Occupational Exposure Limits  VAA-ED (OEL TWA) [2]  OEL TWA [2]  OEL OEL TWA] [3 mg/m²  VAA-ED (OEL TWA) [4]  VAA-ED (OEL TWA) [7]  VAA-ED (OEL TWA) [7]  VAA-ED (OEL TWA) [8]  OEL TWA [9]  OEL OEL TWA [1]  AGW mg/m²  VAA-ED (OEL TWA) [1]  AGW mg/m²  VAA-ED (OEL TWA) [2]  OEL chemical category  Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverid (OEL TWA) [2]  OEL official category  Allergenic substance  Switzerfand - Occupational Exposure Limits  Mak (OEL TWA) [2]  7 ppm  Mak (OEL TWA) [2]  7 ppm  Mak (OEL TWA) [2]  7 ppm  Mak (OEL STEL) [ppm]  14 ppm	8.1.1 National occupational exposure and biological limit values		
ACEL TWA) 400 mg/m²  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m²  HTP (OEL STEL) 280 mg/m²  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation. Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA 28 mg/m²  OEL TWA [29 mg/m²  OEL STEL [112 mg/m²  OEL STEL [112 mg/m²  OEL STEL [112 mg/m²  OEL STEL [112 mg/m²  OEL Chemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [2] 30 ppm  OEL Chemical category Sansitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m²  Grenseverdi (OEL TWA) [1] 140 mg/m²  Grenseverdi (OEL TWA) [1] 140 mg/m²  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL TWA) [2] 37.5 ppm (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL CHTWA (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm	Bis(2-ethylhexyl) adipate (103-23-1)		
d-Limonene (5889-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]	Poland - Occupational Exposure Limits		
Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL STEL) 280 mg/m³  HTP (OEL STEL) [ppm] 50 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA 28 mg/m³  OEL TWA [ppm] 5 ppm  OEL STEL [ppm] 20 ppm  OEL STEL [ppm] 20 ppm  OEL STEL [ppm] 20 ppm  OEL OCCUpational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm  OEL Chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Geneseverdi (OEL TWA) [1] 140 mg/m²  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL TWA) [2] 37.5 ppm (value calculated)  Korttidsverdi (OEL STEL) 37.5 ppm (value calculated)  OEL chemical category Alerenical Exposure Limits  WAK (OEL TWA) [1] 40 mg/m²  Grenseverdi (OEL STEL) 75 ppm (value calculated)  MAK (OEL TWA) [1] 40 mg/m²  Grenseverdi (OEL STEL) 75 ppm (value calculated)  MAK (OEL TWA) [1] 40 mg/m²	NDS (OEL TWA)	400 mg/m³	
HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL STEL) 250 ppm  HTP (OEL STEL) 500 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category 5 in notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA 28 mg/m²  OEL TWA [ppm] 5 ppm  OEL STEL 112 mg/m²  OEL STEL 112 mg/m²  OEL STEL [ppm] 20 ppm  OEL chemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m²  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 440 mg/m²  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  Switzerland - Occupational Exposure Limits  WAK (OEL STEL) [ppm] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [2] 7 ppm	d-Limonene (5989-27-5)		
HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m²  HTP (OEL STEL) [ppm] 50 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA 28 mg/m²  OEL TWA [ppm] 5 ppm  OEL STEL 112 mg/m²  OEL STEL 112 mg/m²  OEL STEL [ppm] 20 ppm  OEL Chemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m²  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m²  Grenseverdi (OEL TWA) [2] 25 ppm  Norway - Occupational Exposure Limits  VKorttidsverdi (OEL STEL) ppm] 37.5 ppm (value calculated)  Korttidsverdi (OEL STEL) [ppm] 40 mg/m²  Worttidsverdi (OEL STEL) [ppm] 7 ppm  Alkr (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 140 ppm	Finland - Occupational Exposure Limits		
HTP (OEL STEL)   280 mg/m²   50 ppm   5	HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL STEL) [ppm] 50 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation, Skin sensitization  Slovania - Occupational Exposure Limits  OEL TWA 28 mg/m²  OEL TWA [ppm] 5 ppm  OEL STEL 112 mg/m²  OEL STEL 112 mg/m²  OEL STEL[ppm] 20 ppm  OEL oftenical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m²  VLA-ED (OEL TWA) [2] 30 ppm  OEL oftenical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m²  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Alergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm  MAK (OEL STEL) [ppm] 14 ppm	HTP (OEL TWA) [2]	25 ppm	
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA 28 mg/m³  OEL TWA 28 mg/m³  OEL STEL 112 mg/m³  OEL STEL 112 mg/m³  OEL STEL 20 ppm 20 ppm  OEL Hemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m²  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m² (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  Mat (OEL TWA) [1] 40 mg/m³  Mat (OEL TWA) [1] 40 mg/m³  Mat (OEL TWA) [2] 7 ppm  Mat (OEL TWA) [2] 80 mg/m³  Mat (OEL TWA) [2] 80 mg/m³  Mat (OEL TWA) [2] 14 ppm	HTP (OEL STEL)	280 mg/m³	
AGW (OEL TWA) [1]  28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Skin notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA  28 mg/m²  OEL TWA [ppm]  5 ppm  OEL STEL  112 mg/m²  OEL STEL [ppm]  20 ppm  OEL chemical category  Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1]  168 mg/m²  VLA-ED (OEL TWA) [2]  30 ppm  OEL chemical category  Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Geneseverdi (OEL TWA) [1]  140 mg/m²  Geneseverdi (OEL TWA) [2]  25 ppm  Korttidsverdi (OEL STEL)  175 mg/m² (value calculated)  Korttidsverdi (OEL STEL)  Korttidsverdi (OEL STEL) [ppm]  37.5 ppm (value calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  40 mg/m²  MAK (OEL TWA) [2]  7 ppm  MAK (OEL TWA) [2]  80 mg/m²  MAK (OEL STEL)  80 mg/m²	HTP (OEL STEL) [ppm]	50 ppm	
BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Skin notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA 28 mg/m²  OEL TWA [ppm] 5 ppm  OEL STEL 112 mg/m³  OEL STEL 20 ppm  OEL chemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL STEL) [1] 40 mg/m²  MAK (OEL TWA) [1] 40 mg/m²  MAK (OEL TWA) [2] 7 ppm  MAK (OEL STEL) [9pm] 14 ppm	Germany - Occupational Exposure Limits (TRGS 90	0)	
values are observed)  Chemical category  Skin notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA  28 mg/m³  OEL TWA [ppm] 5 ppm  OEL STEL 112 mg/m³  OEL STEL 112 mg/m³  OEL STEL [ppm] 20 ppm  OEL chemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) [ppm] 14 ppm	AGW (OEL TWA) [1]		
Slovenia - Occupational Exposure Limits   28 mg/m³   5 ppm   5 ppm   112 mg/m³   60 EL TWA (ppm]   5 ppm   112 mg/m³   60 EL STEL   112 mg/m³   60 EL STEL (ppm]   20 ppm   60 EL chemical category   Potential for cutaneous absorption   70 EL chemical category   Potential for cutaneous absorption   70 EL chemical category   70 E	AGW (OEL TWA) [2]		
OEL TWA         28 mg/m³           OEL TWA [ppm]         5 ppm           OEL STEL         112 mg/m³           OEL STEL [ppm]         20 ppm           OEL chemical category         Potential for cutaneous absorption           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         168 mg/m³           VLA-ED (OEL TWA) [2]         30 ppm           OEL chemical category         Sensitizer, skin - potential for cutaneous absorption           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA) [1]         140 mg/m³           Grenseverdi (OEL TWA) [2]         25 ppm           Korttidsverdi (OEL STEL)         175 mg/m³ (value calculated)           Korttidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           OEL chemical category         Allergenic substance           Switzerland - Occupational Exposure Limits           MAK (OEL TWA) [1]         40 mg/m³           MAK (OEL TWA) [2]         7 ppm           KZGW (OEL STEL) [ppm]         14 ppm	Chemical category	Skin notation, Skin sensitization	
OEL TWA [ppm]         5 ppm           OEL STEL         112 mg/m³           OEL STEL [ppm]         20 ppm           OEL chemical category         Potential for cutaneous absorption           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         168 mg/m³           VLA-ED (OEL TWA) [2]         30 ppm           OEL chemical category         Sensitizer, skin - potential for cutaneous absorption           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA) [1]         140 mg/m³           Grenseverdi (OEL TWA) [2]         25 ppm           Korttidsverdi (OEL STEL)         175 mg/m³ (value calculated)           Korttidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           OEL chemical category         Allergenic substance           Switzerland - Occupational Exposure Limits           MAK (OEL TWA) [1]         40 mg/m³           MAK (OEL TWA) [2]         7 ppm           KZGW (OEL STEL) [ppm]         14 ppm	Slovenia - Occupational Exposure Limits		
OEL STEL [ppm] 20 ppm OEL chemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) 80 mg/m³  KZGW (OEL STEL) [ppm] 14 ppm	OEL TWA	28 mg/m³	
OEL STEL [ppm] 20 ppm OEL chemical category Potential for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) 80 mg/m³  KZGW (OEL STEL) [ppm] 14 ppm	OEL TWA [ppm]	5 ppm	
OEL chemical category  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) [ppm] 14 ppm	OEL STEL	112 mg/m³	
Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) [ppm] 14 ppm	OEL STEL [ppm]	20 ppm	
VLA-ED (OEL TWA) [1] 168 mg/m³  VLA-ED (OEL TWA) [2] 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) [ppm] 14 ppm	OEL chemical category	Potential for cutaneous absorption	
VLA-ED (OEL TWA) [2]  OEL chemical category  Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1]  140 mg/m³  Grenseverdi (OEL TWA) [2]  25 ppm  Korttidsverdi (OEL STEL)  175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm]  37.5 ppm (value calculated)  OEL chemical category  Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  40 mg/m³  MAK (OEL TWA) [2]  7 ppm  KZGW (OEL STEL)  80 mg/m³  KZGW (OEL STEL) [ppm]  14 ppm	Spain - Occupational Exposure Limits		
OEL chemical category  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1]  Grenseverdi (OEL TWA) [2]  Korttidsverdi (OEL STEL)  Korttidsverdi (OEL STEL)  MAK (OEL TWA) [1]  MAK (OEL TWA) [1]  MAK (OEL TWA) [2]  Korttidsverdi (OEL STEL)  MAK (OEL TWA) [1]  MAK (OEL TWA) [2]  Korttidsverdi (OEL STEL) [apm]  MAK (OEL TWA) [1]  MAK (OEL TWA) [2]  KZGW (OEL STEL)  MORDINA Sensitizer, skin - potential for cutaneous absorption  14 ppm  Sensitizer, skin - potential for cutaneous absorption  140 mg/m³  14 ppm	VLA-ED (OEL TWA) [1]	168 mg/m³	
Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) 80 mg/m³  KZGW (OEL STEL) [ppm] 14 ppm	VLA-ED (OEL TWA) [2]	30 ppm	
Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) [80 mg/m³  KZGW (OEL STEL) [ppm] 14 ppm	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) [ppm] 14 ppm	Norway - Occupational Exposure Limits		
Korttidsverdi (OEL STEL)  Korttidsverdi (OEL STEL) [ppm]  37.5 ppm (value calculated)  OEL chemical category  Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  MAK (OEL TWA) [2]  KZGW (OEL STEL)  80 mg/m³  KZGW (OEL STEL) [ppm]  14 ppm	Grenseverdi (OEL TWA) [1]	140 mg/m³	
Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) 80 mg/m³  KZGW (OEL STEL) [ppm] 14 ppm	Grenseverdi (OEL TWA) [2]	25 ppm	
OEL chemical category  Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  MAK (OEL TWA) [2]  MAK (OEL TWA) [2]  KZGW (OEL STEL)  80 mg/m³  KZGW (OEL STEL) [ppm]  14 ppm	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Switzerland - Occupational Exposure Limits           MAK (OEL TWA) [1]         40 mg/m³           MAK (OEL TWA) [2]         7 ppm           KZGW (OEL STEL)         80 mg/m³           KZGW (OEL STEL) [ppm]         14 ppm	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
MAK (OEL TWA) [1] 40 mg/m³  MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) 80 mg/m³  KZGW (OEL STEL) [ppm] 14 ppm	OEL chemical category	Allergenic substance	
MAK (OEL TWA) [2] 7 ppm  KZGW (OEL STEL) 80 mg/m³  KZGW (OEL STEL) [ppm] 14 ppm	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	MAK (OEL TWA) [1]	40 mg/m³	
KZGW (OEL STEL) [ppm] 14 ppm	MAK (OEL TWA) [2]	7 ppm	
	KZGW (OEL STEL)	80 mg/m³	
OEL chemical category Sensitizer	KZGW (OEL STEL) [ppm]	14 ppm	
~ · ·	OEL chemical category	Sensitizer	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lauryl alcohol (112-53-8)		
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	155 mg/m³	
OEL TWA [ppm]	20 ppm	
OEL STEL	155 mg/m³	
OEL STEL [ppm]	20 ppm	
Benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	45 mg/m³	
HTP (OEL TWA) [2]	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	

## 8.1.2. Recommended monitoring procedures

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

## 8.2.2.3. Respiratory protection

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

: Not available Odour threshold : Not applicable Melting point : Not available Freezing point Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 93 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density · ≈ 0.95 : Not available Relative vapour density at 20°C Particle characteristics : Not applicable

#### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Bis(2-ethylhexyl) adipate (103-23-1) LD50 oral rat 5600 mg/kg LD50 dermal rabbit 8410 mg/kg LC50 Inhalation - Rat > 5.7 mg/l/4h Hexamethylindanopyran (1222-05-5) LD50 oral rat > 3250 mg/kg LD50 dermal rabbit > 3250 mg/kg

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Yara Yara crystals (93-04-9)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
2-isobutyi-4-methyltetrahydro-2H-pyran-4-ol (	63500-71-0)
LD50 dermal rabbit	> 2000 mg/kg
Vertenex (32210-23-4)	
LD50 oral rat	5 g/kg
LD50 oral	3370 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg
trans-Anethole (4180-23-8)	
LD50 oral rat	2090 mg/kg
LD50 dermal rabbit	> 4900 mg/kg
LC50 Inhalation - Rat	> 5.1 mg/l/4h
lauryl alcohol (112-53-8)	
LD50 oral rat	> 12800 mg/kg
LD50 dermal rabbit	11300 mg/kg
LC50 Inhalation - Rat	71 mg/l (Exposure time: 1 h)
Benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
Serious eye damage/irritation : Respiratory or skin sensitisation :	Causes skin irritation.  Not classified  May cause an allergic skin reaction.  Not classified
	Not classified

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bis(2-ethylhexyl) adipate (103-23-1)		
IARC group 3 - Not classifiable		
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

<b>12.</b> 1		

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

: Not classified

(chronic)

Bis(2-ethylhexyl) adipate (103-23-1)		
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Vertenex (32210-23-4)		
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
lauryl alcohol (112-53-8)		
LC50 - Fish [1]	1.01 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	0.1855 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 - Crustacea [1]	320 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 96h - Algae [1]	0.62 mg/l (Species: Desmodesmus subspicatus)	
Benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl alcohol (100-51-6)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

Bis(2-ethylhexyl) adipate (103-23-1)	Ris/2-othylhoxyl) adinate (103-23-1)		
	(67.1%		
BCF - Fish [1]	(27 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)		
Hexamethylindanopyran (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Dihydromyrcenol (18479-58-8)			
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)		
d-Limonene (5989-27-5)			
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
Yara Yara crystals (93-04-9)			
Partition coefficient n-octanol/water (Log Pow)	3.318 (at 25 °C (at pH 5.9)		
2-lsobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)			
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)		
Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)		
Helional (1205-17-0)	Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)		
lauryl alcohol (112-53-8)			
Partition coefficient n-octanol/water (Log Pow)	5.4 (at 23 °C (at pH 7.1)		
Benzyl alcohol (100-51-6)			
Partition coefficient n-octanol/water (Log Pow)	1.05		

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,
14.3. Transport hazard o	class(es)			
9	9	9	9	9
9	•		9	
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available	1		1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

: 5 L Limited quantities (IMDG) Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) PP1 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) Α

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Alien Type #EU37529F; Iso E Super; Hexyl cinnamic aldehyde; Dihydromyrcenol; d- Limonene; 2-Isobutyl-4- methyltetrahydro-2H- pyran-4-ol; Vertenex; Floralozone; Helional; trans-Anethole; Cedramber; lauryl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Alien Type #EU37529F; Hexamethylindanopyran; Iso E Super; Hexyl cinnamic aldehyde; d- Limonene; Floralozone; Helional; Cedramber; lauryl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Floralozone is listed SZW-lijst van mutagene stoffen : Floralozone is listed

SZW-lijst van mutagene stoffen : Floralozone is listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

: None of the components are listed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.