Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : COCONUT & CANNABIS #EU41586F 10% in DPG

Product code : EU41586F_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains Hexyl cinnamic aldehyde, Benzyl salicylate, COUMARIN, Citronellol

Pure, Orange oil . May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

EN (English) 1/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------------|--|
| benzyl benzoate | CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33 | 1.55 – 3.1027 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL) | CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699- | 1.48 – 2.95 | Not classified |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) | CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- | 0.33 – 0.665 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Hexyl cinnamic aldehyde | CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50 | 0.19 – 0.38 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Citronellol Pure | CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23 | 0.1 – 0.205 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Orange oil | CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35 | 0.09 – 0.17 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| ACETYL HEXAMETHYL TETRALIN | CAS-No.: 21145-77-7 EC-No.: 244-240-6 | 0.07 – 0.14 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32 | 0.06 – 0.12 | Flam. Liq. 3, H226 |
| Benzyl salicylate | CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31 | 0.05 – 0.105 | Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 |
| COUMARIN | CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26 | 0.05 – 0.1 | Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 |

EN (English) 2/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------------|---|
| Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO) | CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42 | 0.03 - 0.05 | Aquatic Chronic 3, H412 |
| (R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH) | CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35 | 0.02 – 0.03 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

EN (English) 3/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

: Strong bases. Strong acids.

Incompatible products Incompatible materials

: Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510)

Joint storage table

: LGK 12 - Non-combustible liquids

| LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A |
|----------|---------|----------|----------|-----------|
| LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C |
| LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B |
| LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 |

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 6.2, LGK 7

: LGK 4.1A, LGK 4.3, LGK 5.1C

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

| isopentyl | acetate | (123-92-2) |
|-----------|---------|------------|
| | | |

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA 270 mg/m³

EN (English) 4/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| isopentyl acetate (123-92-2) | | |
|---|--|--|
| | 50 ppm | |
| IOEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 270 mg/m³ (Pentyl acetate (all isomers)) | |
| | 50 ppm (Pentyl acetate (all isomers)) | |
| MAK (OEL STEL) | 540 mg/m³ (Pentylacetate) | |
| | 100 ppm (Pentylacetate) | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Bulgaria - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Croatia - Occupational Exposure Limits | | |
| GVI (OEL TWA) | 270 mg/m³ | |
| | 50 ppm | |
| KGVI (OEL STEL) | 540 mg/m³ | |
| | 100 ppm | |
| Cyprus - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA | 271 mg/m³ (Amyl acetate, all isomers) | |
| | 50 ppm (Amyl acetate, all isomers) | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| | I . | |

EN (English) 5/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m² (Pentyl acetate) HTP (OEL STEL) 540 mg/m² 100 ppm 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m² (restrictive limit) VME (OEL CISTEL) 540 mg/m² (restrictive limit) Occupational Exposure Limits (TRGS **) AGW (OEL TWA) 270 mg/m² (restrictive limit) OEL TWA 270 mg/m² Gibraltar - Occupational Exposure Limits OEL STEL 270 mg/m² OEL STEL 240 mg/m² OEL TWA 50 ppm OEL TWA 50 mg/m² OEL STEL 200 mg/m² OEL STEL 200 mg/m² OEL TWA) 270 mg/m² OEL TWA 270 mg/m² OEL TWA 280 mg/m² OEL TWA 280 mg/m² OEL TWA 280 mg/m² OEL TWA 280 mg/m² OEL TWA <th colspan="2">isopentyl acetate (123-92-2)</th> | isopentyl acetate (123-92-2) | | |
|--|---|-------------------------------|--|
| Stopm (Pentyl acedate) Stopm (Pentyl aced | Finland - Occupational Exposure Limits | | |
| HTP (OEL STEL) | HTP (OEL TWA) | 270 mg/m³ (Pentyl acetate) | |
| France - Occupational Exposure Limits 270 mg/m² (restrictive limit) 50 pm (restrictive limit) 700 pm 7 | | 50 ppm (Pentyl acetate) | |
| France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m² (restrictive limit) VLE (OEL C/STEL) 50 ppm (restrictive limit) OGERMANY - Occupational Exposure Limits (TROS 900") 270 mg/m² AGW (OEL TWA) 270 mg/m² GIbraltar - Occupational Exposure Limits 270 mg/m² GIbraltar - Occupational Exposure Limits 50 ppm OEL TWA 270 mg/m² OEL STEL 540 mg/m² 100 ppm 100 ppm Greece - Occupational Exposure Limits OEL TWA OEL STEL 500 mg/m² 100 ppm 100 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 270 mg/m² CK (OEL STEL) 540 mg/m² CK (OEL STEL) 540 mg/m² CK (OEL STEL) 50 ppm OEL STEL 50 ppm OEL TWA 270 mg/m | HTP (OEL STEL) | 540 mg/m³ | |
| VME (OEL TWA) 270 mg/m² (restrictive limit) VLE (OEL C/STEL) 50 pm (restrictive limit) VLE (OEL C/STEL) 40 mg/m² (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) TO mg/m² AGW (OEL TWA) 270 mg/m² Gibraltar - Occupational Exposure Limits 270 mg/m² GEL TWA 270 mg/m² GEL TWA 50 ppm GEL STEL 400 mg/m² 100 ppm 100 ppm Greece - Occupational Exposure Limits So mg/m³ 100 ppm 100 ppm Gel TWA AC (OEL TWA) 270 mg/m³ 100 ppm 100 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 400 mg/m³ Trout 200 mg/m³ OEL STEL 50 ppm OEL STEL | | 100 ppm | |
| So pm (restrictive limit) So pm So ppm So p | France - Occupational Exposure Limits | | |
| VLE (OEL C/STEL) \$40 mg/m² (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) 700 mg/m² AGW (OEL TWA) 270 mg/m² Gibraltar - Occupational Exposure Limits 270 mg/m² OEL TWA 270 mg/m² 50 ppm 50 ppm OEL STEL 540 mg/m² 6 ppm 100 ppm OEL TWA 500 mg/m² 6 ppm 100 ppm OEL STEL 800 mg/m² 100 ppm 100 ppm OEL STEL 800 mg/m² 100 ppm 100 ppm OEL STEL 800 mg/m² 100 ppm 100 ppm OK (OEL TWA) 270 mg/m² OK (OEL STEL) 940 mg/m² OEL TWA 260 mg/m² OEL STEL 50 ppm OEL STEL 50 ppm OEL STEL 50 ppm OEL STEL 50 ppm OEL TWA | VME (OEL TWA) | 270 mg/m³ (restrictive limit) | |
| Germany - Occupational Exposure Limits (TRGS 907) AGW (OEL TWA) 270 mg/m³ Gibralitar - Occupational Exposure Limits 270 mg/m³ Gibralitar - Occupational Exposure Limits 270 mg/m³ Get TWA 270 mg/m³ Get FEL 540 mg/m³ Interpretation of the properties of t | | 50 ppm (restrictive limit) | |
| Germany - Occupational Exposure Limits (TRGS 900 m) AGW (OEL TWA) 270 mg/m³ 50 ppm 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm General Exposure Limits Greece - Occupational Exposure Limits Full Depth of the Exposure Limits OEL STEL 400 mg/m³ 150 ppm Huggery - Occupational Exposure Limits AK (OEL TWA) CK (OEL STEL) 500 mg/m³ Indicate Exposure Limits OEL STEL 160 mg/m³ 50 ppm Indicate Exposure Limits OEL STEL 160 mg/m³ 160 ppm Indicate Exposure Limits OEL TWA 160 ppm OEL STEL 270 mg/m³ 160 ppm OEL STEL 260 mg/m³ 160 ppm <td< td=""><td>VLE (OEL C/STEL)</td><td>540 mg/m³ (restrictive limit)</td></td<> | VLE (OEL C/STEL) | 540 mg/m³ (restrictive limit) | |
| AGW (OEL TWA) 270 mg/m³ 50 ppm CEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 50 ppm 60 ppm 60 ppm Greece - Occupational Exposure Limits 500 mg/m³ 100 ppm 600 mg/m³ 100 ppm 600 mg/m³ 150 ppm 600 ppm | | 100 ppm (restrictive limit) | |
| Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Genece - Occupational Exposure Limits 530 mg/m³ 100 ppm 100 ppm OEL STEL 800 mg/m³ 150 ppm 150 ppm Hungary - Occupational Exposure Limits 270 mg/m³ CK (OEL STEL) 540 mg/m³ CK (OEL STEL) 50 ppm OEL TWA 260 mg/m³ 50 ppm OEL STEL 50 mg/m³ 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ 50 ppm OEL TWA 540 mg/m³ 100 ppm </td <td>Germany - Occupational Exposure Limits (TRGS 90</td> <td>00)</td> | Germany - Occupational Exposure Limits (TRGS 90 | 00) | |
| Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 0 ppm 100 ppm Greece - Occupational Exposure Limits 530 mg/m³ 0 EL TWA 530 mg/m³ 100 ppm 100 ppm Hungary - Occupational Exposure Limits 800 mg/m³ AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Iralard - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ 50 ppm OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 0EL TWA 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ | AGW (OEL TWA) | 270 mg/m³ | |
| OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Greece - Occupational Exposure Limits 530 mg/m³ 100 ppm 100 ppm OEL TWA 800 mg/m³ 150 ppm 150 ppm Hungary - Occupational Exposure Limits 270 mg/m³ CK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 200 mg/m³ 0EL STEL 520 mg/m³ 100 ppm 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ 0EL TWA 50 ppm 0EL TWA 50 ppm 0EL TWA 50 ppm 0EL STEL 540 mg/m³ 100 ppm 100 ppm Latvia - Occupational Exposure Limits 100 ppm Catvia - Occupational Exposure Limits 270 mg/m³ | | 50 ppm | |
| 60 ppm OEL STEL 540 mg/m³ 100 ppm Greece - Occupational Exposure Limits OEL TWA 530 mg/m³ 100 ppm OEL STEL 800 mg/m³ 150 ppm Hungary - Occupational Exposure Limits KK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ 0EL STEL 520 mg/m³ 100 ppm 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 0EL TWA 100 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ | Gibraltar - Occupational Exposure Limits | | |
| OEL STEL 540 mg/m³ Greece - Occupational Exposure Limits 530 mg/m³ OEL TWA 530 mg/m³ 100 ppm 100 ppm OEL STEL 800 mg/m³ 150 ppm 150 ppm Hungary - Occupational Exposure Limits 270 mg/m³ CK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ureland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ 50 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ 100 ppm Latvia - Occupational Exposure Limits OEL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits | OEL TWA | 270 mg/m³ | |
| 100 ppm | | 50 ppm | |
| Greece - Occupational Exposure Limits OEL TWA 530 mg/m³ 100 ppm 100 ppm OEL STEL 800 mg/m³ 150 ppm 150 ppm Hungary - Occupational Exposure Limits 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ 50 ppm 520 mg/m³ 100 ppm 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ 0EL STEL 540 mg/m³ 100 ppm 100 ppm CEL TWA 270 mg/m³ OEL STEL 540 mg/m³ 100 ppm 100 ppm | OEL STEL | 540 mg/m³ | |
| OEL TWA 530 mg/m³ 100 ppm 800 mg/m³ 150 ppm 150 ppm Hungary - Occupational Exposure Limits 270 mg/m³ AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 520 mg/m³ 50 ppm Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm OEL STEL 50 ppm OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 50 ppm OEL TWA 270 mg/m³ 100 ppm 100 ppm | | 100 ppm | |
| 100 ppm 20EL STEL 800 mg/m³ Hungary - Occupational Exposure Limits AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits DEL TWA 260 mg/m³ 50 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 50 ppm CEL TWA 270 mg/m³ 100 ppm Latvia - Occupational Exposure Limits CEL TWA 270 mg/m³ 100 ppm | Greece - Occupational Exposure Limits | | |
| OEL STEL 800 mg/m³ 150 ppm Hungary - Occupational Exposure Limits 270 mg/m³ AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ 50 ppm OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm CEL TYLA 270 mg/m³ Table Type Type Type Type Type Type Type Typ | OEL TWA | 530 mg/m³ | |
| Hungary - Occupational Exposure Limits | | 100 ppm | |
| Hungary - Occupational Exposure Limits AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 260 mg/m³ 50 ppm OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits 540 mg/m³ DEL TWA 270 mg/m³ | OEL STEL | 800 mg/m³ | |
| AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 260 mg/m³ 50 ppm OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ 50 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm CEL TWA 270 mg/m³ 50 ppm DEL TWA 270 mg/m³ 50 ppm CEL TWA 270 mg/m³ 50 ppm CEL TWA 270 mg/m³ 50 ppm CAN 100 ppm | | 150 ppm | |
| CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 260 mg/m³ 50 ppm 50 ppm OEL STEL 520 mg/m³ 100 ppm 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ 50 ppm OEL TWA 540 mg/m³ 0EL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ | Hungary - Occupational Exposure Limits | | |
| Teland - Occupational Exposure Limits | AK (OEL TWA) | 270 mg/m³ | |
| OEL TWA 260 mg/m³ 50 ppm OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ | CK (OEL STEL) | 540 mg/m³ | |
| Del Stel Ste | Ireland - Occupational Exposure Limits | | |
| OEL STEL 520 mg/m³ Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ | OEL TWA | 260 mg/m³ | |
| 100 ppm | | 50 ppm | |
| Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ 270 mg/m³ 270 mg/m³ 270 mg/m³ | OEL STEL | 520 mg/m³ | |
| OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ | | 100 ppm | |
| 50 ppm 540 mg/m³ 100 ppm 270 mg/m³ 270 mg/m³ 270 mg/m³ 270 mg/m³ | Italy - Occupational Exposure Limits | | |
| OEL STEL 540 mg/m³ 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ | OEL TWA | 270 mg/m³ | |
| 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ | | 50 ppm | |
| Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ | OEL STEL | 540 mg/m³ | |
| OEL TWA 270 mg/m³ | | 100 ppm | |
| | Latvia - Occupational Exposure Limits | | |
| | OEL TWA | 270 mg/m³ | |
| 50 ppm | | 50 ppm | |

EN (English) 6/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| isopentyl acetate (123-92-2) | | |
|--|--|--|
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 270 mg/m³ | |
| | 50 ppm | |
| TPRV (OEL STEL) | 540 mg/m³ | |
| | 100 ppm | |
| Luxembourg - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Malta - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Netherlands - Occupational Exposure Limits | | |
| TGG-15min (OEL STEL) | 530 mg/m³ | |
| | 98.1 ppm | |
| Poland - Occupational Exposure Limits | | |
| NDS (OEL TWA) | 250 mg/m³ | |
| NDSCh (OEL STEL) | 500 mg/m³ | |
| Portugal - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ (indicative limit value) | |
| | 50 ppm (indicative limit value (Pentyl acetate, all isomers) | |
| OEL STEL | 540 mg/m³ (indicative limit value) | |
| | 100 ppm (indicative limit value) | |
| Romania - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | 100 ppm | |
| Slovakia - Occupational Exposure Limits | | |
| NPHV (OEL TWA) | 270 mg/m³ | |
| | 50 ppm | |
| NPHV (OEL C) | 540 mg/m³ | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| | | |

EN (English) 7/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| 100 ppm 100 | isopentyl acetate (123-92-2) | | | |
|---|--|--|--|--|
| VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates) 50 ppm (Pentyl acetates) 50 ppm (Pentyl acetates) KGY (OEL STEL) 540 mg/m³ (Pentyl acetates) Morway - Occupational Exposure Limits 50 ppm (Pentyl acetates) Kortidsverdi (OEL TWA) 260 mg/m³ 50 ppm 60 ppm Kortidsverdi (OEL STEL) 280 mg/m³ (value calculated) 75 ppm (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 30 ppm (Pentyl acetate, all isomers) MACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits 62 mg/m³ De ppm 100 ppm | | 100 ppm | | |
| S0 ppm (indicative limit value) VLA-EC (OEL STEL) | Spain - Occupational Exposure Limits | | | |
| VLA-EC (OEL STEL) 540 mg/m² Sweden - Occupational Exposure Limits 270 mg/m² (Pentyl acetates) KGY (OEL TWA) 270 mg/m² (Pentyl acetates) 50 pmm (Pentyl acetates) 100 pmm (Pentyl acetates) 100 pmm (Pentyl acetates) 100 pmm (Pentyl acetates) KORY (OEL STEL) 260 mg/m² 6 pmm Kortidsverdi (OEL TWA) 280 mg/m² 5 ppm Kortidsverdi (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) 5 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 30 ppm (Pentyl acetate, all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Belgum - Occupational Exposure Limits 62 mg/m² Del TWA 61 mg/m² 10 ppm | VLA-ED (OEL TWA) | 270 mg/m³ (indicative limit value) | | |
| Sweden - Occupational Exposure Limits NGY (OEL TWA) 270 mg/m² (Pentyl acetates) KGY (OEL STEL) 540 mg/m² (Pentyl acetates) Norway - Occupational Exposure Limits 100 ppm (Pentyl acetates) Kortidosverdi (OEL TWA) 280 mg/m² (pentyl acetated) 50 ppm 50 ppm (value calculated) Kortidosverdi (OEL STEL) 280 mg/m² (value calculated) 75 ppm (value calculated) 75 ppm (value calculated) KZGW (DEL STEL) 280 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) MAK (OEL TWA) 50 ppm (Pentyl acetate all isomers) ACGIH OCL TWA 50 ppm (Pentyl acetate all isomers) ACGIH OCL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OCL TWA 50 ppm (Pentyl acetate, all isomers) Belgum - Occupational Exposure Limits 62 mg/m² DEL TWA 62 mg/m² OEL TWA 10 ppm OEL TWA 10 ppm </td <td></td> <td>50 ppm (indicative limit value)</td> | | 50 ppm (indicative limit value) | | |
| Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates) KGV (OEL STEL) 540 mg/m³ (Pentyl acetates) Norway - Occupational Exposure Limits 260 mg/m³ (Pentyl acetates) Kortidsverdi (OEL TWA) 260 mg/m³ (Value calculated) 50 ppm 50 ppm Kortidsverdi (OEL STEL) 325 mg/m³ (value calculated) 75 ppm (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate, all isomers) USA - ACGIH - Occupational Exposure Limits 400 mg/m² (Pentyl acetate, all isomers) USA - ACGIH - Occupational Exposure Limits 400 mg/m² (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) 400 mg/m² (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) 400 mg/m² (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits 420 mg/m² (Pentyl acetate, all isomers) DEL TWA 61 mg/m² (Pentyl acetate, all isomers) DEL TWA <td< td=""><td>VLA-EC (OEL STEL)</td><td>540 mg/m³</td></td<> | VLA-EC (OEL STEL) | 540 mg/m³ | | |
| NGY (OEL TWA) 270 mg/m² (Pentyl acetates) KGY (OEL STEL) 540 mg/m² (Pentyl acetates) Norway - Occupational Exposure Limits 50 ppm (Pentyl acetates) Geneverdi (OEL TWA) 260 mg/m² 50 ppm 50 ppm Kortidsverdi (OEL STEL) 255 mg/m² (value calculated) 75 ppm (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits 260 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m² (Pentyl acetate all isomers) Dopm (Pentyl acetate all isomers) 0 ppm (Pentyl acetate all isomers) ACGIH OCcupational Exposure Limits 0 ppm (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits 0 ppm (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits 0 ppm (Pentyl acetate, all isomers) DEL TWA 62 mg/m² Del TWA 62 mg/m² 10 ppm 10 ppm Del TWA 62 mg/m² 10 ppm 122 mg/m² 20 ppm 20 ppm | | 100 ppm | | |
| So ppm (Pentyl acetates) KGV (OEL STEL) 540 mg/m³ (Pentyl acetates) 100 ppm (Pentyl acetates all isomers) 100 ppm (Pentyl acetates all isom | Sweden - Occupational Exposure Limits | | | |
| KGY (OEL STEL) 540 mg/m² (Pentyl acetates) Norway - Occupational Exposure Limits 280 mg/m² Grenseverdi (OEL TWA) 280 mg/m² 50 ppm 50 ppm Kortidsverdi (OEL STEL) 285 mg/m² (value calculated) To ppm (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits 280 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) KZGW (OEL STEL) 280 mg/m² (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits 50 ppm (Pentyl acetate, all isomers) USA - ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits 100 ppm (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits 62 mg/m² Denmark - Occupational Exposure Limits 61 mg/m² 10 ppm OEL TWA 61 mg/m² 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm O | NGV (OEL TWA) | 270 mg/m³ (Pentyl acetates) | | |
| Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 260 mg/m³ Kortidisverdi (OEL STEL) 285 mg/m³ (value calculated) Kortidisverdi (OEL STEL) 285 mg/m² (value calculated) To pim (Pentyl acetate all isomers) | | 50 ppm (Pentyl acetates) | | |
| Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 260 mg/m³ 50 ppm 325 mg/m³ (value calculated) 75 ppm (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits 50 ppm (Pentyl acetate all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL TWA 61 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL STEL 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm | KGV (OEL STEL) | 540 mg/m³ (Pentyl acetates) | | |
| Grenseverdi (OEL TWA) 260 mg/m³ 50 ppm Kortidosverdi (OEL STEL) 325 mg/m³ (value calculated) 75 ppm (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) SW3A - ACGIH - Occupational Exposure Limits 50 ppm (Pentyl acetate, all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Betzyl acetate (140-11-4) 62 mg/m³ Betgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits 20 ppm Cel TWA 10 ppm OEL TWA 10 ppm OEL STEL 30 ppm (calculated) | | 100 ppm (Pentyl acetates) | | |
| 50 ppm Kortlidsverdi (OEL STEL) 325 mg/m³ (value calculated) 75 ppm (value calculated) 5 witzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 5 ppm (Pentyl acetate all isomers) 5 ppm (Pentyl acetate all isomers) CBAS ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) Benzyl acetate (140-11-4) Benzyl acetate (140-11-4) Benzyl acetate (140-11-4) Del TWA 62 mg/m³ 10 ppm Del TWA 61 mg/m³ 10 ppm Del TWA 61 mg/m³ 10 ppm Del TWA 10 ppm Del TWA 10 ppm Del TWA 10 ppm Del TWA | Norway - Occupational Exposure Limits | | | |
| Kortlidsverdi (OEL STEL) 235 mg/m³ (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits 50 ppm (Pentyl acetate all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) 62 mg/m³ Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits 10 ppm OEL TWA 10 ppm OEL TWA 30 ppm (calculated) | Grenseverdi (OEL TWA) | 260 mg/m³ | | |
| T5 ppm (value calculated) | | 50 ppm | | |
| Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 30 ppm (acetate all isomers) | Korttidsverdi (OEL STEL) | 325 mg/m³ (value calculated) | | |
| MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) WSA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL TWA 61 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 0 pm Treland - Occupational Exposure Limits OEL TWA 0 pm OEL STEL 10 ppm 10 ppm OEL STEL 10 ppm OEL TWA 10 ppm | | 75 ppm (value calculated) | | |
| KZGW (OEL STEL) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits 50 ppm (Pentyl acetate all isomers) ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Belgium - Occupational Exposure Limits 62 mg/m³ DEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 10 ppm OEL STEL 22 mg/m³ 20 ppm Ireland - Occupational Exposure Limits 10 ppm OEL TWA 30 ppm (calculated) | Switzerland - Occupational Exposure Limits | | | |
| KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 0EL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm 0EL TWA 10 ppm 0EL TWA 10 ppm 0EL TWA 30 ppm (calculated) | MAK (OEL TWA) | 260 mg/m³ (Pentyl acetate all isomers) | | |
| So ppm (Pentyl acetate all isomers) So ppm (Pentyl acetate all isomers) ACGIH OEL TWA | | 50 ppm (Pentyl acetate all isomers) | | |
| USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA OEL TWA OEL TWA 10 ppm OEL TWA 30 ppm (calculated) Latvia - Occupational Exposure Limits | KZGW (OEL STEL) | 260 mg/m³ (Pentyl acetate all isomers) | | |
| ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 10 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | | 50 ppm (Pentyl acetate all isomers) | | |
| ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | USA - ACGIH - Occupational Exposure Limits | | | |
| Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | ACGIH OEL TWA | 50 ppm (Pentyl acetate, all isomers) | | |
| Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | ACGIH OEL STEL | 100 ppm (Pentyl acetate, all isomers) | | |
| OEL TWA 62 mg/m³ Denmark - Occupational Exposure Limits 61 mg/m³ DEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | Benzyl acetate (140-11-4) | | | |
| To ppm | Belgium - Occupational Exposure Limits | | | |
| Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 10 ppm In ppm OEL TWA 10 ppm OEL STEL | OEL TWA | 62 mg/m³ | | |
| OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | | 10 ppm | | |
| 10 ppm | Denmark - Occupational Exposure Limits | | | |
| OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | OEL TWA | 61 mg/m³ | | |
| Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | | 10 ppm | | |
| Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | OEL STEL | 122 mg/m³ | | |
| OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | | 20 ppm | | |
| OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits | Ireland - Occupational Exposure Limits | | | |
| Latvia - Occupational Exposure Limits | OEL TWA | 10 ppm | | |
| | OEL STEL | 30 ppm (calculated) | | |
| OFI TWA | Latvia - Occupational Exposure Limits | | | |
| OEL IWA 5 mg/m ^o | OEL TWA | 5 mg/m³ | | |

EN (English) 8/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Benzyl acetate (140-11-4) | | |
|---|---|--|
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 5 mg/m³ | |
| Portugal - Occupational Exposure Limits | | |
| OEL TWA | 10 ppm | |
| OEL chemical category | A4 - Not Classifiable as a Human Carcinogen | |
| Romania - Occupational Exposure Limits | | |
| OEL TWA | 50 mg/m³ | |
| | 8 ppm | |
| OEL STEL | 80 mg/m³ | |
| | 13 ppm | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) | 62 mg/m³ | |
| | 10 ppm | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA | 10 ppm | |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen | |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27- | 5) | |
| Finland - Occupational Exposure Limits | | |
| HTP (OEL TWA) | 140 mg/m³ | |
| | 25 ppm | |
| HTP (OEL STEL) | 280 mg/m³ | |
| | 50 ppm | |
| Germany - Occupational Exposure Limits (TRGS 90 | 00) | |
| AGW (OEL TWA) | 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| Chemical category | Skin notation, Skin sensitization | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 28 mg/m³ | |
| | 5 ppm | |
| OEL STEL | 112 mg/m³ | |
| | 20 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) | 168 mg/m³ | |
| | 30 ppm | |
| OEL chemical category | Sensitizer, skin - potential for cutaneous absorption | |

EN (English) 9/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| (R)-p-mentha-1,8-diene; d-limonene (5989-27- | (R)-n-mentha-1 8-diene: d-limonene (5989-27-5) | |
|--|--|--|
| | o j | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) | 140 mg/m³ | |
| | 25 ppm | |
| Korttidsverdi (OEL STEL) | 175 mg/m³ (value calculated) | |
| | 37.5 ppm (value calculated) | |
| OEL chemical category | Allergenic substance | |
| Switzerland - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 40 mg/m³ | |
| | 7 ppm | |
| KZGW (OEL STEL) | 80 mg/m³ | |
| | 14 ppm | |
| OEL chemical category | Sensitizer | |
| Bis(2-ethylhexyl) adipate (103-23-1) | | |
| Poland - Occupational Exposure Limits | | |
| NDS (OEL TWA) | 400 mg/m³ | |
| | · · · · · · · · · · · · · · · · · · · | |

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Hand protection:

Wear protective gloves.

Respiratory protection

Respiratory protection:

Wear appropriate mask

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour: Conforms to standard.Odour: characteristic.Odour threshold: Not availableMelting point: Not available

EN (English) 10/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Freezing point : Not available Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Hexyl cinnamic aldehyde (101-86-0) | |
|------------------------------------|--------------------------------|
| LD50 oral rat | 3100 mg/kg (Source: NLM_CIP) |
| LD50 oral | 3100 mg/kg bodyweight |
| LD50 dermal rabbit | > 3000 mg/kg (Source: EPA_HPV) |
| LC50 Inhalation - Rat | > 5 mg/l/4h |

EN (English) 11/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Benzyl salicylate (118-58-1) | | |
|--|----------------------------------|--|
| LD50 oral rat | 2227 mg/kg (Source: NLM_CIP) | |
| LD50 oral | 2200 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: CHEMVIEW) | |
| Benzyl acetate (140-11-4) | | |
| LD50 oral rat | 2490 mg/kg (Source: JAPAN_GHS) | |
| LD50 oral | 2490 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: JAPAN_GHS) | |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27- | 5) | |
| LD50 oral rat | 4400 mg/kg (Source: CHEMVIEW) | |
| LD50 dermal rabbit | > 5 g/kg (Source: CHEMVIEW) | |
| COUMARIN (91-64-5) | | |
| LD50 oral rat | > 5000 mg/kg (Source: JAPAN_GHS) | |
| LD50 dermal rat | 293 mg/kg (Source: ECHA_API) | |
| Citronellol Pure (106-22-9) | | |
| LD50 oral rat | 3450 mg/kg (Source: NLM_CIP) | |
| LD50 oral | 3450 mg/kg bodyweight | |
| LD50 dermal rabbit | 2650 mg/kg (Source: EPA_HPV) | |
| LD50 dermal | 2650 mg/kg bodyweight | |
| ACETYL HEXAMETHYL TETRALIN (21145-77- | 7) | |
| LD50 oral rat | 570 mg/kg (Source: NLM_CIP) | |
| LD50 oral | 1000 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5 g/kg (Source: NLM_HSDB) | |
| Bis(2-ethylhexyl) adipate (103-23-1) | | |
| LD50 oral rat | 5600 mg/kg (Source: NLM_CIP) | |
| LD50 dermal rabbit | 8410 mg/kg (Source: NLM_CIP) | |
| LC50 Inhalation - Rat | > 5.7 mg/l/4h | |
| benzyl benzoate (120-51-4) | | |
| LD50 oral rat | > 2000 mg/kg (Source: ECHA_API) | |
| LD50 oral | 1160 mg/kg bodyweight | |
| LD50 dermal rabbit | 4000 mg/kg (Source: NLM_CIP) | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | | |
| LD50 oral rat | > 3250 mg/kg (Source: CHEMVIEW) | |
| LD50 dermal rabbit | > 3250 mg/kg (Source: CHEMVIEW) | |
| LC50 Inhalation - Rat | > 5.04 mg/l/4h | |
| Orange oil (8008-57-9) | | |
| LD50 oral rat | 4400 mg/kg (Source: NZ_CCID) | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: CHEMVIEW) | |
| Skin corrosion/irritation : | Not classified | |

EN (English) 12/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Benzyl acetate (140-11-4)

IARC group 3 - Not classifiable

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

COUMARIN (91-64-5)

IARC group 3 - Not classifiable

Bis(2-ethylhexyl) adipate (103-23-1)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

11.2. Information on other hazards

Other information

symptoms

Potential adverse human health effects and

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : No

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

| Benzyl salicylate (118-58-1) | |
|--|--|
| LC50 - Fish [1] | 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| LC50 - Fish [1] | 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |
| LC50 - Fish [2] | 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) |

EN (English) 13/19

Safety Data Sheet

Bis(2-ethylhexyl) adipate (103-23-1)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| LC50 - Fish [1] | 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) |
|--|--|
| LC50 - Fish [2] | 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA) |
| EC50 - Crustacea [1] | > 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 72h - Algae [1] | > 500 mg/l (Species: Desmodesmus subspicatus) |
| benzyl benzoate (120-51-4) | |
| LC50 - Fish [1] | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) |
| NOEC (chronic) | 0.168 mg/l |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin | ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) |
| LC50 - Fish [1] | 0.452 mg/l Wolf, 1996d-27682 |
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas |
| EC50 - Crustacea [2] | 260 μg/l REACH Dossier |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier |
| 12.2. Persistence and degradability | |
| COCONUT & CANNABIS #EU41586F 10% in D | PG |
| Persistence and degradability | Not established. |
| Hexyl cinnamic aldehyde (101-86-0) | |
| Persistence and degradability | Rapidly degradable |
| Benzyl salicylate (118-58-1) | |
| Persistence and degradability | Rapidly degradable |
| isopentyl acetate (123-92-2) | |
| Persistence and degradability | Rapidly degradable |
| Benzyl acetate (140-11-4) | |
| Persistence and degradability | Rapidly degradable |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27- | 5) |
| Persistence and degradability | Rapidly degradable |
| COUMARIN (91-64-5) | |
| Persistence and degradability | Rapidly degradable |
| Citronellol Pure (106-22-9) | |
| Persistence and degradability | Rapidly degradable |
| ACETYL HEXAMETHYL TETRALIN (21145-77-7) | |
| Persistence and degradability | Rapidly degradable |
| Bis(2-ethylhexyl) adipate (103-23-1) | |
| Persistence and degradability | Rapidly degradable |
| benzyl benzoate (120-51-4) | |
| Persistence and degradability | May cause long-term adverse effects in the environment. |
| | |

EN (English) 14/19

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Persistence and degradability | Rapidly degradable | |
|--|---------------------------------------|--|
| Orange oil (8008-57-9) | | |
| Persistence and degradability | Rapidly degradable | |
| 12.3. Bioaccumulative potential | | |
| COCONUT & CANNABIS #EU41586F 10% in D | PG | |
| Bioaccumulative potential | Not established. | |
| Benzyl salicylate (118-58-1) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4 | |
| isopentyl acetate (123-92-2) | | |
| Partition coefficient n-octanol/water (Log Pow) | 2.7 (at 35 °C) | |
| Benzyl acetate (140-11-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | 1.96 (at 25 °C (at pH 7) | |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (at 37 °C (at pH 7.2) | |
| COUMARIN (91-64-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | ≥ 1.91 – ≤ 1.51 (at 25 °C (at pH 7) | |
| Citronellol Pure (106-22-9) | | |
| Partition coefficient n-octanol/water (Log Pow) | 3.41 (at 25 °C) | |
| ACETYL HEXAMETHYL TETRALIN (21145-77- | 7) | |
| Partition coefficient n-octanol/water (Log Pow) | 5.7 (at 24 °C) | |
| Bis(2-ethylhexyl) adipate (103-23-1) | | |
| BCF - Fish [1] | (27 dimensionless) | |
| Partition coefficient n-octanol/water (Log Pow) | 8.94 (at 25 °C) | |
| benzyl benzoate (120-51-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | 3.97 (at 25 °C) | |
| Bioaccumulative potential | Not established. | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | | |
| BCF - Fish [1] | (1618 dimensionless (whole body w.w.) | |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (at 25 °C (at pH 7) | |
| Orange oil (8008-57-9) | | |
| Partition coefficient n-octanol/water (Log Pow) | ≥ 2.78 - ≤ 4.88 | |
| 12.4 Mobility in soil | | |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

EN (English) 15/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

| COCONUT & CANNABIS #EU41586F 10% in DPG | |
|---|-----------------------------------|
| Other information Avoid release to the environment. | |
| benzyl benzoate (120-51-4) | |
| Other information | Avoid release to the environment. |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information

HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|--|------------------------------|----------------|----------------|----------------|
| 14.1. UN number or ID n | 14.1. UN number or ID number | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard o | class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | 14.4. Packing group | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

EN (English) 16/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|---|---|
| Reference code | Applicable on | Entry title or description |
| 3(a) | Isoamyl acetate ; d- Limonene ; Orange oil | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |
| 3(b) | Hexyl cinnamic aldehyde; Benzyl salicylate; d- Limonene; Citronellol Pure; Benzyl benzoate; Orange oil | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | COCONUT & CANNABIS #EU41586F 10% in DPG; Hexyl cinnamic aldehyde; Benzyl salicylate; Benzyl acetate; d-Limonene; Benzyl benzoate; Hexamethylindanopyran; Orange oil | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Austria

Toxic Substances Ordinance 2000 : Is not subject to the Toxic Substances Ordinance 2000.

EN (English) 17/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

France

| Occupational diseases | |
|-----------------------|---|
| Code | Description |
| RG 84 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

Germany

VOC ordinance (ChemVOCFarbV)

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange oil is listed SZW-lijst van mutagene stoffen : Orange oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Poland

Polish National Regulations : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

EN (English) 18/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH208 | Contains Hexyl cinnamic aldehyde, Benzyl salicylate, COUMARIN, Citronellol Pure, Orange oil . May produce an allergic reaction. |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 19/19