## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form	
Product name	
Product code	
Type of product	

: Mixture : FRESH CUT PEONY #EU41821F 10% : EU41821F\_10% : Perfumes, fragrances

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

## Industrial/Professional use spec

Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

### 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

### No additional information available

### 1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identificati	on	
2.1. Classification of the substance	or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16		
Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements		
Labelling according to Regulation (EC) N	No. 1272/2008 [CLP]	
Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP)	<ul> <li>-</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> <li>P273 - Avoid release to the environment.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>	
EUH-statements Extra phrases	<ul> <li>EUH208 - Contains Hexyl cinnamic aldehyde, Linalyl acetate, Linalool, Vertenex, Geraniol, Benzyl salicylate, Iso E Super, Citronellol Pure. May produce an allergic reaction.</li> <li>For professional users only.</li> </ul>	
2.3. Other hazards		

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

#### Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 3.2. Mixtures Name **Product identifier** % **Classification according to Regulation (EC) No. 1272/2008** [CLP] Acute Tox. 4 (Oral), H302 Benzyl benzoate CAS-No.: 120-51-4 1.58 -3.16825 EC-No.: 204-402-9 Aquatic Acute 1, H400 EC Index-No.: 607-085-00-9 Aquatic Chronic 2, H411 REACH-no: 01-2119976371-33 Hexyl cinnamic aldehyde CAS-No.: 101-86-0 0.4 - 0.80001 Skin Sens. 1, H317 EC-No.: 202-983-3 Aquatic Chronic 2, H411 REACH-no: 01-2119533092-50 CAS-No.: 115-95-7 0.27 – Linalyl acetate Skin Irrit. 2, H315 EC-No.: 204-116-4 0.53473 Eye Irrit. 2, H319 REACH-no: 01-2119454789-Skin Sens. 1, H317 19 Hexamethylindanopyran CAS-No.: 1222-05-5 0.25 - 0.505 Aquatic Acute 1, H400 EC-No.: 214-946-9 Aquatic Chronic 1, H410 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-29 Linalool CAS-No.: 78-70-6 0.2 - 0.4 Skin Irrit. 2, H315 EC-No.: 201-134-4 Eye Irrit. 2, H319 EC Index-No.: 603-235-00-2 Skin Sens. 1B, H317 REACH-no: 01-2119474016-42 CAS-No.: 32210-23-4 Vertenex 0.2 - 0.4Skin Sens. 1B, H317 EC-No.: 250-954-9 REACH-no: 01-2119976286-24 CAS-No.: 106-24-1 0.14 - 0.285 Geraniol Skin Irrit. 2, H315 EC-No.: 203-377-1 Eye Dam. 1, H318 EC Index-No.: 603-241-00-5 Skin Sens. 1, H317 REACH-no: 01-2119552430-49 CAS-No.: 118-58-1 0.14 - 0.27 Eye Irrit. 2, H319 Benzyl salicylate EC-No.: 204-262-9 Skin Sens. 1B, H317 EC Index-No.: 607-754-00-5 Aquatic Chronic 3, H412 REACH-no: 01-2119969442-

	31		
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.14 – 0.27	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.13 – 0.26	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.04 – 0.07	Not classified

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.03 – 0.055	Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.014466 – 0.021699	Not classified
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00086	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.00021	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.00001	Eye Dam. 1, H318 Skin Corr. 1C, H314

## SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions Incompatible products Incompatible materials	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> </ul>	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal	orotection
---------------------------------------	------------

## 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethyl acetoacetate (141-97-9)		
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m <sup>3</sup>	
OEL TWA [ppm]	19 ppm	
OEL STEL	200 mg/m <sup>3</sup>	
OEL STEL [ppm]	38 ppm	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m <sup>3</sup>	

## Safety Data Sheet

Benzyl acetate (140-11-4)		
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m <sup>3</sup>	
OEL TWA [2]	10 ppm	
OEL STEL	122 mg/m <sup>3</sup>	
OEL STEL [ppm]	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	10 ppm	
OEL STEL [ppm]	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
OEL TWA [ppm]	8 ppm	
OEL STEL	80 mg/m³	
OEL STEL [ppm]	13 ppm	
Spain - Occupational Exposure Limits	·	
VLA-ED (OEL TWA) [1]	62 mg/m³	
VLA-ED (OEL TWA) [2]	10 ppm	
USA - ACGIH - Occupational Exposure Limits	·	
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Carbitol (111-90-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	35 mg/m³	
MAK (OEL TWA) [ppm]	6 ppm	
MAK (OEL STEL)	140 mg/m <sup>3</sup>	
MAK (OEL STEL) [ppm]	24 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	50.1 mg/m <sup>3</sup>	
OEL TWA [ppm]	10 ppm	
OEL chemical category	Skin notation	

## Safety Data Sheet

Carbitol (111-90-0)	
Germany - Occupational Exposure Limits	s (TRGS 900)
AGW (OEL TWA) [1]	35 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Slovenia - Occupational Exposure Limits	\$
OEL TWA	35 mg/m <sup>3</sup>
OEL TWA [ppm]	6 ppm
OEL STEL	70 mg/m <sup>3</sup>
OEL STEL [ppm]	12 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	80 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	15 ppm
KTV (OEL STEL)	170 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	30 ppm
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Lin	nits
MAK (OEL TWA) [1]	50 mg/m <sup>3</sup> (aerosol, inhalable dust, vapour)
KZGW (OEL STEL)	100 mg/m <sup>3</sup> (aerosol, inhalable dust, vapour)
decyl alcohol (112-30-1)	
Bulgaria - Occupational Exposure Limits	3
OEL TWA	10 mg/m <sup>3</sup>
Germany - Occupational Exposure Limit	s (TRGS 900)
AGW (OEL TWA) [1]	$66\ mg/m^3$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Latvia - Occupational Exposure Limits	
OEL TWA	10 mg/m <sup>3</sup>
Lithuania - Occupational Exposure Limit	S
IPRV (OEL TWA)	10 mg/m <sup>3</sup>
Romania - Occupational Exposure Limits	s
OEL TWA	100 mg/m <sup>3</sup>
OEL TWA [ppm]	15 ppm
OEL STEL	200 mg/m <sup>3</sup>
OEL STEL [ppm]	30 ppm
Switzerland - Occupational Exposure Lin	nits
MAK (OEL TWA) [1]	66 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m <sup>3</sup> (aerosol, vapour)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

decyl alcohol (112-30-1)		
KZGW (OEL STEL) [ppm]     10 ppm (aerosol, vapour)		
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m <sup>3</sup>	
HTP (OEL STEL) [ppm]	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	80 mg/m <sup>3</sup>	
Caproic acid (142-62-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m <sup>3</sup>	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m <sup>3</sup>	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m <sup>3</sup>	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

## Eye protection: Chemical goggles or safety glasses

### 8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Standard.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials	

Strong acids. Strong bases.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral)Acute toxicity (dermal)Acute toxicity (inhalation)	Not classified Not classified Not classified	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	

## Safety Data Sheet

Citronellol Pure (106-22-9)		
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 dermal	2650 mg/kg bodyweight	
Ethyl acetoacetate (141-97-9)		
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Carbitol (111-90-0)		
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)	
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)	
decyl alcohol (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Caproic acid (142-62-1)		
LD50 oral rat	3 g/kg (Source: NLM_HSDB)	
LD50 oral	4000 mg/kg bodyweight	
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)	
	Not classified Based on available data, the classification criteria are not met	
	Not classified	
	Based on available data, the classification criteria are not met	
	Not classified Based on available data, the classification criteria are not met	
Germ cell mutagenicity :	Not classified	
	Based on available data, the classification criteria are not met Not classified	
	Based on available data, the classification criteria are not met	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
, ,	Not classified	
	Based on available data, the classification criteria are not met Not classified	
	Based on available data, the classification criteria are not met	
	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Aspiration hazard :	Not classified	

## Safety Data Sheet

Additional information	: Based on available data, the classification criteria are not met
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm <sup>2</sup> /s
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	Not classified Harmful to aquatic life with long lasting effects.
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/I (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Ethyl acetoacetate (141-97-9)	
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
Carbitol (111-90-0)	
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)

## Safety Data Sheet

decyl alcohol (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Caproic acid (142-62-1)		
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
12.2. Persistence and degradability		
FRESH CUT PEONY #EU41821F 10%		
Persistence and degradability	Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
FRESH CUT PEONY #EU41821F 10%		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Vertenex (32210-23-4)		
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)	
Geraniol (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl acetoacetate (141-97-9)		
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
decyl alcohol (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
Caproic acid (142-62-1)		
Partition coefficient n-octanol/water (Log Pow)	1.88	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		

Additional information

: Avoid release to the environment.

SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Product/Packaging disposal recommendations Ecology - waste materials HP Code	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> <li>HP3 - "Flammable:" <ul> <li>flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> <li>flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;</li> <li>flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;</li> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment</li> </ul> </li> </ul>

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IMDG	ΙΑΤΑ	ADN	RID
y name	· · · ·		
Not applicable	Not applicable	Not applicable	Not applicable
lass(es)	· · · · ·		
Not applicable	Not applicable	Not applicable	Not applicable
	· · · · ·		
Not applicable	Not applicable	Not applicable	Not applicable
ards			
Not applicable	Not applicable	Not applicable	Not applicable
	Not applicable Not applicable Not applicable Not applicable ards	Not applicable     Not applicable       Not applicable     Not applicable       Not applicable     Not applicable       Not applicable     Not applicable	Not applicable     Not applicable     Not applicable       Not applicable     Not applicable     Not applicable       Not applicable     Not applicable     Not applicable

## 14.6. Special precautions for user

### **Overland transport**

Not applicable

## Transport by sea

Not applicable

### Air transport

Not applicable

## Inland waterway transport

Not applicable

## Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

## EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Benzyl benzoate ; Hexyl cinnamic aldehyde ; Linalyl acetate ; Linalool ; Vertenex ; Geraniol ; Benzyl salicylate ; Iso E Super ; Citronellol Pure ; Caproic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	FRESH CUT PEONY #EU41821F 10% ; Benzyl benzoate ; Hexyl cinnamic aldehyde ; Hexamethylindanopyran ; Benzyl salicylate ; Iso E Super ; Benzyl acetate ; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

:

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510) Joint storage table

- : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
- : LGK 12 Non-combustible liquids.

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for

Hazardous Incident Ordinance (12. BImSchV)

### Netherlands

ABM category

SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen

- : LGK 1, LGK 6.2, LGK 7.
- : LGK 4.1A, LGK 4.3, LGK 5.1C.
- : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.
- : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment

- : None of the components are listed
- : None of the components are listed

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	<ul> <li>None of the components are listed</li> <li>None of the components are listed</li> <li>None of the components are listed</li> </ul>
Denmark Classification remarks Danish National Regulations	<ul> <li>Emergency management guidelines for the storage of flammable liquids must be followed</li> <li>Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> </ul>
Switzerland Storage class (LK)	: LK 10/12 - Liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	<ul> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</li> </ul>
Other information	: None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
EUH208	Contains Hexyl cinnamic aldehyde, Linalyl acetate, Linalool, Vertenex, Geraniol, Benzyl salicylate, Iso E Super, Citronellol Pure. May produce an allergic reaction.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.