Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 9/10/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : BLUE RASPBERRY #EU55129F 10% in DPG

Product code : EU55129F_10%
Type of product : Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH phrases : EUH208 - Contains 3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-, 1-(1,2,3,4,5,6,7,8-Octahydro-

2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, benzyl alcohol, Aldehyde C-16. May produce

an allergic reaction.

Extra phrases : Restricted to professional users.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

9/10/2024 (Issue date) EN (English US) 1/30

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	2.23 – 4.46599	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.3 - 0.60002	Not classified
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.25 – 0.50001	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.13 – 0.255	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.09 – 0.175	Flam. Liq. 3, H226
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.07 – 0.14	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.04 - 0.08	Not classified
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-	CAS-No.: 3658-77-3 EC-No.: 222-908-8	0.01 – 0.02	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Irrit. 2, H319 Skin Sens. 1A, H317
ethyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-	0 – 0.005	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.00101	Eye Dam. 1, H318 Skin Corr. 1C, H314

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetic acid % substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	0 – 0.001	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0007	Aquatic Chronic 3, H412
butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO)	CAS-No.: 107-92-6 EC-No.: 203-532-3 EC Index-No.: 607-135-00-X	0 – 0.0005	Skin Corr. 1B, H314
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.00017	Flam. Liq. 3, H226

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
acetic acid %	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	$(10 \le C < 25)$ Eye Irrit. 2, H319 $(10 \le C < 25)$ Skin Irrit. 2, H315 $(25 \le C < 90)$ Skin Corr. 1B, H314 $(90 \le C < 100)$ Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

9/10/2024 (Issue date) EN (English US) 3/30

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table

LGK 2B LGK 3 LGK 4.1A .GK 1 LGK 2A LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 5.1C LGK 5.2 LGK 6.1A **LGK 6.1B** LGK 6.1C **LGK 6.1D** LGK 8A LGK 6.2 LGK 7 LGK 8B LGK 12 LGK 10 **LGK 13** LGK 10-13 **LGK 11**

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

9/10/2024 (Issue date) EN (English US) 4/30

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

butyric acid (107-92-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	15 mg/m³	
	4 ppm	
OEL STEL	30 mg/m³	
	8 ppm	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	15 ppm	
OEL STEL	200 mg/m³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	

Safety Data Sheet

isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (I	OEL)	
IOEL TWA	270 mg/m³	
	50 ppm	
IOEL STEL	540 mg/m³	
	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	270 mg/m³	
	50 ppm	
KGVI (OEL STEL)	540 mg/m³	
	100 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)	
	50 ppm (Amyl acetate, all isomers)	
OEL STEL	540 mg/m³	
	100 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	

Safety Data Sheet

isopentyl acetate (123-92-2)		
	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)	
	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m³	
	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 9	000)	
AGW (OEL TWA)	270 mg/m³	
	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m³	
	50 ppm	
OEL STEL	520 mg/m³	
	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Latvia - Occupational Exposure Limits		

Safety Data Sheet

isopentyl acetate (123-92-2)		
	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	530 mg/m³	
	98.1 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m³	
NDSCh (OEL STEL)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value (Pentyl acetate, all isomers)	
OEL STEL	540 mg/m³ (indicative limit value)	
	100 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	270 mg/m³	
	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	

Safety Data Sheet

isopentyl acetate (123-92-2)		
OEL STEL	540 mg/m³	
	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m³	
	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
	50 ppm (Pentyl acetates)	
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	260 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
	75 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	
ethyl acetate (141-78-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	734 mg/m³	
	200 ppm	
IOEL STEL	1468 mg/m ³	
	400 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	734 mg/m³	
I.	200 ppm	
	Zoo pp	
MAK (OEL STEL)	1468 mg/m ³	
MAK (OEL STEL)	- 11	
MAK (OEL STEL) Belgium - Occupational Exposure Limits	1468 mg/m³	
	1468 mg/m³	

Safety Data Sheet

CEL STEL 1468 mg/m² Bulgaria - Occupational Exposure Limits 734 mg/m² CEL TWA 734 mg/m² OEL STEL 1468 mg/m² Circatia - Occupational Exposure Limits TW Croatia - Occupational Exposure Limits TW CVI (OEL TWA) 734 mg/m² 200 ppm PM KGVI (OEL STEL) 1468 mg/m² CVI (OEL STEL) 1468 mg/m² CVI (OEL TWA) 734 mg/m² CVI (OEL TWA) 734 mg/m² CVI (OEL TWA) 734 mg/m² CVI (OEL TWA) 1468 mg/m² A00 ppm PM CVI (OEL TWA) 700 mg/m² CVI (OEL TWA) 700 mg/m² CVI (OEL TWA) 700 mg/m² DEL TWA 700 mg/m² DEL TWA 150 ppm CEL TWA 150 ppm CEL TWA 150 ppm CEL TWA 500 mg/m² Estonia - Occupational Exposure Limits TW Estonia - Occupational Exposure Limits TW Finitiand - Occupational Exposure Limits TW	ethyl acetate (141-78-6)		
Bulgaria - Occupational Exposure Limits OEL TWA 754 mg/m³ OEL TWA 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Costala - Occupational Exposure Limits 754 mg/m³ 6WI (OEL TWA) 200 ppm Cyprus - Occupational Exposure Limits 468 mg/m³ Cyprus - Occupational Exposure Limits 754 mg/m³ CEL TWA 754 mg/m³ 200 ppm 468 mg/m³ 201 ppm 754 mg/m³ CEL TWA 754 mg/m³ 202 ppm 754 mg/m³ CEL TWA 754 mg/m³ 203 ppm 754 mg/m³ 204 ppm 754 mg/m³ 205 ppm 754 mg/m³ 206 ppm 754 mg/m³ 207 ppm 754 mg/m³ 208 ppm 754 mg/m³	OEL STEL	1468 mg/m³	
QEL TWA 74 mg/m² QEL STEL 1468 mg/m² OCL STEL 1468 mg/m² W 10 pm 400 ppm Croatia - Occupational Exposure Limits W 10 pm 1468 mg/m² 200 ppm 1468 mg/m² W 10 pm 200 ppm Cryrus - Occupational Exposure Limits W 24 mg/m² 200 ppm 200 ppm Creck Republic - Occupational Exposure Limits W 25 mg/m² 200 ppm 200 mg/m² Creck Republic - Occupational Exposure Limits W 25 mg/m² Denmark - Occupational Exposure Limits W 26 mg/m² Denmark - Occupational Exposure Limits W 26 mg/m² Denmark - Occupational Exposure Limits W 27 mg/m² Denmark - Occupational Exposure Limits W 27 mg/m² Denmark - Occupational Exposure Limits W 28 mg/m² Denmark - Occupational Exposure Limits W 27 mg/m²		400 ppm	
DEL STEL 1488 mg/m³ OC L STEL 1488 mg/m³ A00 ppm 724 mg/m³ C Coatia - Occupational Exposure Limits 724 mg/m³ KGVI (OEL STEL) 1488 mg/m³ 400 ppm 400 ppm C SUPUR - Occupational Exposure Limits 724 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm C Exech Republic - Occupational Exposure Limits 700 mg/m³ DEL (TWA) 700 mg/m³ Del TWA 150 ppm DEL STEL 1468 mg/m³ 150 ppm DEL STEL 1688 mg/m³ 150 ppm DEL TWA 500 mg/m³ 150 ppm DEL STEL 1100 mg/m³ 150 ppm PINIAN 730 mg/m³ <td>Bulgaria - Occupational Exposure Limits</td> <td></td>	Bulgaria - Occupational Exposure Limits		
OEL STEL 1488 mg/m³ 400 ppm Croatia - Occupational Exposure Limits 724 mg/m³ KGVI (OEL STEL) 1488 mg/m³ 400 ppm 400 ppm Cyprus - Occupational Exposure Limits 724 mg/m³ QEL TWA 724 mg/m³ 200 ppm 400 ppm Czech Republic - Occupational Exposure Limits 724 mg/m³ Czech Republic - Occupational Exposure Limits 700 mg/m³ Denmark - Occupational Exposure Limits 700 mg/m³ DEL TWA 540 mg/m³ 150 ppm OEL STEL 1488 mg/m³ 400 ppm Estonia - Occupational Exposure Limits DEL TWA 500 mg/m³ 150 ppm Estonia - Occupational Exposure Limits Finland - Occupational Exposure Limits Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 400 ppm Finland - Occupational Exposure Limits 470 mg/m³ 400 ppm Finland - Occupa	OEL TWA	734 mg/m³	
Totalia - Occupational Exposure Limits GVI (OEL TWA) 754 mg/m² 6VI (OEL STEL) 1468 mg/m² 400 ppm 400 ppm Cyprus - Occupational Exposure Limits OEL TWA 734 mg/m² 200 ppm 400 ppm Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 700 mg/m² Denmark - Occupational Exposure Limits Del TWA 540 mg/m² 6E STEL 1468 mg/m² 150 ppm 400 ppm Estonia - Occupational Exposure Limits Del TWA 500 mg/m² Estonia - Occupational Exposure Limits Del TWA 500 mg/m² Opm Finiand - Occupational Exposure Limits		200 ppm	
Croatia - Occupational Exposure Limits GVI (OEL TWA) 734 mg/m³ KGVI (OEL STEL) 1468 mg/m³ KGVI (OEL STEL) 1468 mg/m³ CVprus - Occupational Exposure Limits 734 mg/m³ CEL TWA 794 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Czech Republic - Occupational Exposure Limits TO mg/m³ Denmark - Occupational Exposure Limits 500 mg/m³ OEL TWA 150 ppm OEL STEL 1468 mg/m³ 400 ppm Estonia - Occupational Exposure Limits OEL TWA 150 ppm OEL TWA 500 mg/m³ 150 ppm 150 ppm OEL TWA 150 ppm OEL TWA 150 ppm OEL STEL 1100 mg/m³ 150 ppm To ppm OEL STEL 1100 mg/m³ 150 ppm To ppm Printing - Occupational Exposure Limits To ppm Printing - Occupational Exposure Limits To ppm/m³ Printing - Occupational Exposur	OEL STEL	1468 mg/m³	
Section Sec		400 ppm	
KGVI (OEL STEL) 1468 mg/m³ Voprus - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ OEL STEL 400 ppm OEL STEL 400 ppm Czech Republic - Occupational Exposure Limits 700 mg/m³ PEL (OEL TWA) 700 mg/m³ Denmark - Occupational Exposure Limits 540 mg/m³ DEL TWA 540 mg/m³ 150 ppm 150 ppm Estonia - Occupational Exposure Limits 500 mg/m³ Estonia - Occupational Exposure Limits 500 mg/m³ OEL TWA 500 mg/m³ 150 ppm 150 ppm OEL STEL 1100 mg/m³ 150 ppm 150 ppm PIL TWA 730 mg/m³ 150 ppm 1410 mg/m³ <t< td=""><td>Croatia - Occupational Exposure Limits</td><td></td></t<>	Croatia - Occupational Exposure Limits		
KGVI (OEL STEL) 1468 mg/m³ 400 ppm 400 ppm Cyprus - Occupational Exposure Limits 734 mg/m³ 200 ppm 400 ppm Czech Republic - Occupational Exposure Limits 700 mg/m³ PEL (OEL TWA) 700 mg/m³ Denmark - Occupational Exposure Limits 540 mg/m³ OEL STEL 1468 mg/m³ 400 ppm Estonia - Occupational Exposure Limits 500 mg/m³ Estonia - Occupational Exposure Limits 500 mg/m³ OEL STEL 1100 mg/m³ 300 ppm 300 ppm Finland - Occupational Exposure Limits 730 mg/m³ HTP (OEL TWA) 730 mg/m³ 400 ppm 470 mg/m³ France - Occupational Exposure Limits 744 mg/m³ (restrictive limit) VIE (OEL TWA) 734 mg/m³ (restrictive limit) VIE (OEL C:STEL) 1468 mg/m³ (restrictive limit)	GVI (OEL TWA)	734 mg/m³	
Cyprus - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Czech Republic - Occupational Exposure Limits 700 mg/m³ Denmark - Occupational Exposure Limits 540 mg/m³ 0EL TWA 540 mg/m³ 150 ppm 0EL STEL 1468 mg/m³ 400 ppm Estonia - Occupational Exposure Limits OEL TWA 500 mg/m³ 150 ppm OEL STEL 1100 mg/m³ 300 ppm Finland - Occupational Exposure Limits Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m² (restrictive limit) VLE (OEL C/STEL) 1468 mg/m² (restrictive limit) VLE (OEL C/STEL) 1468 mg/m² (restrictive limit)		200 ppm	
Cyprus - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Czech Republic - Occupational Exposure Limits 700 mg/m³ Denmark - Occupational Exposure Limits 540 mg/m³ OEL TWA 540 mg/m³ 150 ppm DEL STEL 1468 mg/m³ Estonia - Occupational Exposure Limits DEL TWA 500 mg/m³ 150 ppm OEL STEL 1100 mg/m³ 300 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL TWA) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) VUE (OEL C/STEL) 1468 mg/m³ (restrictive limit) VUE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	KGVI (OEL STEL)	1468 mg/m³	
OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 700 mg/m³ Denmark - Occupational Exposure Limits OEL TWA 540 mg/m³ 1688 mg/m³ 400 ppm Estonia - Occupational Exposure Limits OEL TWA 500 mg/m³ 500 ppm Finland - Occupational Exposure Limits Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 200 ppm 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) VME (OEL C/STEL) 1468 mg/m³ (restrictive limit) VVE (OEL C/STEL) 1468 mg/m³ (restrictive limit)		400 ppm	
200 ppm 200	Cyprus - Occupational Exposure Limits		
OEL STEL 1488 mg/m³ / 400 ppm Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 700 mg/m³ Denmark - Occupational Exposure Limits OEL TWA 540 mg/m³ / 150 ppm OEL STEL 1468 mg/m³ / 400 ppm Estonia - Occupational Exposure Limits OEL TWA 500 mg/m³ / 150 ppm OEL STEL 1100 mg/m³ / 300 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ / 200 ppm HTP (OEL STEL) 1470 mg/m³ / 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) / 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	OEL TWA	734 mg/m³	
A00 ppm		200 ppm	
Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 700 mg/m³ Denmark - Occupational Exposure Limits OEL TWA 540 mg/m³ 150 ppm 1488 mg/m³ 400 ppm 400 ppm Estonia - Occupational Exposure Limits OEL TWA 500 mg/m³ 150 ppm 150 ppm OEL STEL 1100 mg/m³ Tinland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ Prance - Occupational Exposure Limits Trance - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) VME (OEL C/STEL) 1488 mg/m³ (restrictive limit) VVLE (OEL C/STEL) 1488 mg/m³ (restrictive limit)	OEL STEL	1468 mg/m³	
PEL (OEL TWA) 700 mg/m³ Denmark - Occupational Exposure Limits OEL TWA 540 mg/m³ 150 ppm 150 ppm OEL STEL 1468 mg/m³ Estonia - Occupational Exposure Limits OEL TWA 500 mg/m³ 150 ppm OEL STEL 1100 mg/m³ 300 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)		400 ppm	
Denmark - Occupational Exposure Limits OEL TWA 540 mg/m³ 150 ppm 150 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Estonia - Occupational Exposure Limits 500 mg/m³ 150 ppm 150 ppm OEL STEL 1100 mg/m³ 300 ppm 730 mg/m³ Printand - Occupational Exposure Limits 200 ppm HTP (OEL TWA) 730 mg/m³ 400 ppm 400 ppm France - Occupational Exposure Limits 734 mg/m³ (restrictive limit) VME (OEL TWA) 734 mg/m³ (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	Czech Republic - Occupational Exposure Limits		
OEL TWA 540 mg/m³ 150 ppm 150 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Estonia - Occupational Exposure Limits 500 mg/m³ 150 ppm 150 ppm OEL STEL 1100 mg/m³ 300 ppm 730 mg/m³ HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	PEL (OEL TWA)	700 mg/m³	
150 ppm	Denmark - Occupational Exposure Limits		
OEL STEL 1468 mg/m³ 400 ppm 400 ppm Estonia - Occupational Exposure Limits OEL TWA 500 mg/m³ 150 ppm OEL STEL 1100 mg/m³ 300 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	OEL TWA	540 mg/m³	
A00 ppm		150 ppm	
Estonia - Occupational Exposure Limits OEL TWA 500 mg/m³ 150 ppm 150 ppm OEL STEL 1100 mg/m³ 300 ppm 300 ppm Finland - Occupational Exposure Limits 730 mg/m³ HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	OEL STEL	1468 mg/m³	
OEL TWA 500 mg/m³ 150 ppm OEL STEL 1100 mg/m³ 300 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)		400 ppm	
150 ppm	Estonia - Occupational Exposure Limits		
OEL STEL 1100 mg/m³ 300 ppm 300 ppm Finland - Occupational Exposure Limits 730 mg/m³ HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	OEL TWA	500 mg/m³	
300 ppm 300 ppm		150 ppm	
Finland - Occupational Exposure Limits HTP (OEL TWA) 730 mg/m³ 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	OEL STEL	1100 mg/m³	
HTP (OEL TWA) 730 mg/m³ 200 ppm 200 ppm HTP (OEL STEL) 1470 mg/m³ 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)		300 ppm	
200 ppm 1470 mg/m³ 400 ppm	Finland - Occupational Exposure Limits		
HTP (OEL STEL) 1470 mg/m³ 400 ppm 400 ppm France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	HTP (OEL TWA)	730 mg/m³	
France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)		200 ppm	
France - Occupational Exposure Limits VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	HTP (OEL STEL)	1470 mg/m³	
VME (OEL TWA) 734 mg/m³ (restrictive limit) 200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)		400 ppm	
200 ppm (restrictive limit) VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	France - Occupational Exposure Limits		
VLE (OEL C/STEL) 1468 mg/m³ (restrictive limit)	VME (OEL TWA)	734 mg/m³ (restrictive limit)	
		200 ppm (restrictive limit)	
400 ppm (restrictive limit)	VLE (OEL C/STEL)	1468 mg/m³ (restrictive limit)	
		400 ppm (restrictive limit)	

Safety Data Sheet

ethyl acetate (141-78-6)	
Germany - Occupational Exposure Limits (TR	GS 900)
AGW (OEL TWA)	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar - Occupational Exposure Limits	
OEL TWA	200 mg/m³
	734 ppm
OEL STEL	400 mg/m³
	1468 ppm
Greece - Occupational Exposure Limits	
OEL TWA	734 mg/m³
	200 ppm
OEL STEL	1468 mg/m³
	400 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	734 mg/m³
CK (OEL STEL)	1468 mg/m³
OEL chemical category	Sensitizer
Ireland - Occupational Exposure Limits	
OEL TWA	734 mg/m³
	200 ppm
OEL STEL	1468 mg/m³
	400 ppm
Italy - Occupational Exposure Limits	
OEL TWA	734 mg/m³
	200 ppm
OEL STEL	1468 mg/m³
	400 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	200 mg/m ³
	54 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	500 mg/m³
	150 ppm
NRV (OEL C)	1100 mg/m³
	300 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	734 mg/m³
	200 ppm

Safety Data Sheet

ethyl acetate (141-78-6)			
OEL STEL	1468 mg/m³		
	400 ppm		
Malta - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	734 mg/m³		
	200 ppm		
TGG-15min (OEL STEL)	1468 mg/m³		
	400 ppm		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	734 mg/m³		
NDSCh (OEL STEL)	1468 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	734 mg/m³ (indicative limit value)		
	200 ppm (indicative limit value)		
OEL STEL	1468 mg/m³ (indicative limit value)		
	400 ppm (indicative limit value)		
Romania - Occupational Exposure Limits	Romania - Occupational Exposure Limits		
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA)	734 mg/m³		
	200 ppm		
NPHV (OEL C)	1100 mg/m³		
Slovenia - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	734 mg/m³		
	200 ppm		
VLA-EC (OEL STEL)	1468 mg/m³		
	400 ppm		

Safety Data Sheet

ethyl acetate (141-78-6)	
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	550 mg/m³
	150 ppm
KGV (OEL STEL)	1100 mg/m³
	300 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	734 mg/m³
	200 ppm
WEL STEL (OEL STEL)	1468 mg/m³
	400 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	734 mg/m³
	200 ppm
Korttidsverdi (OEL STEL)	1468 mg/m³ (value from the regulation)
	400 ppm (value from the regulation)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	730 mg/m³
	200 ppm
KZGW (OEL STEL)	1460 mg/m ³
	400 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	400 ppm
Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
	19 ppm
OEL STEL	200 mg/m³
	38 ppm
Caproic acid (142-62-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
1,2-Propanediol (57-55-6)	
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)

Safety Data Sheet

reland - Occupational Exposure Limits DEL TWA DEL STEL	150 ppm 10 mg/m³ (particulates) 470 mg/m³ (total vapour and particulates) 150 ppm (total vapour and particulates) 1410 mg/m³ (calculated-particulates)	
DEL TWA	470 mg/m³ (total vapour and particulates) 150 ppm (total vapour and particulates)	
	470 mg/m³ (total vapour and particulates) 150 ppm (total vapour and particulates)	
DEL STEL		
DEL STEL	1/10 mg/m3 (coloulated particulates)	
· - 	30 mg/m³ (calculated)	
	450 ppm (calculated-total vapour and particulates)	
atvia - Occupational Exposure Limits		
DEL TWA	7 mg/m³	
Lithuania - Occupational Exposure Limits		
PRV (OEL TWA)	7 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m³ (vapor and inhalable fraction)	
United Kingdom - Occupational Exposure Limits		
NEL TWA (OEL TWA)	474 mg/m³ (total vapour and particulates) 10 mg/m³ (particulates)	
	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-particulate)	
	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	79 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
acetic acid % (64-19-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
OEL TWA	25 mg/m³	
	10 ppm	
OEL STEL	50 mg/m³	
	20 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	25 mg/m³	
	10 ppm	
MAK (OEL STEL)	50 mg/m³	
	20 ppm	
Belgium - Occupational Exposure Limits		
DEL TWA	25 mg/m³	
	10 ppm	

Safety Data Sheet

acetic acid % (64-19-7)		
OEL STEL	38 mg/m³	
	15 ppm	
Bulgaria - Occupational Exposure Limits	'	
OEL TWA	25 mg/m³	
	10 ppm	
OEL STEL	50 mg/m³	
	20 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	25 mg/m³	
	10 ppm	
KGVI (OEL STEL)	50 mg/m³	
	20 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	25 mg/m³	
	10 ppm	
OEL STEL	50 mg/m³	
	20 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	25 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	25 mg/m³	
	10 ppm	
OEL STEL	50 mg/m ³	
	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	25 mg/m ³	
	10 ppm	
OEL STEL	25 mg/m³	
	10 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	13 mg/m³	
	5 ppm	
HTP (OEL STEL)	25 mg/m³	
	10 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	25 mg/m³ (restrictive limit)	
	10 ppm (restrictive limit)	
VLE (OEL C/STEL)	50 mg/m³ (indicative limit)	
	20 ppm (indicative limit)	

Safety Data Sheet

Germany - Occupational Exposure Limits (TRGS 900 AGW (OEL TWA) Gibraltar - Occupational Exposure Limits OEL TWA OEL STEL Greece - Occupational Exposure Limits OEL TWA OEL STEL	25 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 25 mg/m³ 10 ppm 50 mg/m³ 20 ppm 25 mg/m³ 10 ppm 37 mg/m³ 15 ppm	
Gibraltar - Occupational Exposure Limits OEL TWA OEL STEL Greece - Occupational Exposure Limits OEL TWA	BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 25 mg/m³ 10 ppm 50 mg/m³ 20 ppm 25 mg/m³ 10 ppm 37 mg/m³	
OEL TWA OEL STEL Greece - Occupational Exposure Limits OEL TWA	values are observed) 25 mg/m³ 10 ppm 50 mg/m³ 20 ppm 25 mg/m³ 10 ppm 37 mg/m³	
OEL TWA OEL STEL Greece - Occupational Exposure Limits OEL TWA	10 ppm 50 mg/m³ 20 ppm 25 mg/m³ 10 ppm 37 mg/m³	
OEL STEL Greece - Occupational Exposure Limits OEL TWA	10 ppm 50 mg/m³ 20 ppm 25 mg/m³ 10 ppm 37 mg/m³	
Greece - Occupational Exposure Limits OEL TWA	50 mg/m³ 20 ppm 25 mg/m³ 10 ppm 37 mg/m³	
Greece - Occupational Exposure Limits OEL TWA	20 ppm 25 mg/m³ 10 ppm 37 mg/m³	
OEL TWA	25 mg/m³ 10 ppm 37 mg/m³	
OEL TWA	10 ppm 37 mg/m ³	
	10 ppm 37 mg/m ³	
OEL STEL	37 mg/m³	
OEL STEL	1	
	15 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	25 mg/m³	
CK (OEL STEL)	50 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	20 ppm	
OEL STEL	50 mg/m³	
	20 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
	25 ppm	
OEL STEL	50 mg/m³	
	20 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	25 mg/m³	
	10 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	25 mg/m³	
	10 ppm	
TPRV (OEL STEL)	50 mg/m³	
	20 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	25 mg/m³	
	10 ppm	
OEL STEL	50 mg/m³	

Safety Data Sheet

20 ppm	acetic acid % (64-19-7)		
CEL TWA 25 mg/m² CEL STEL 50 mg/m² OEL STEL 50 mg/m² Netherlands - Occupational Exposure Limits TOG-8u (OEL TWA) 25 mg/m² 10 ppm TGG-15min (OEL STEL) 50 mg/m² DF opm 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 25 mg/m² NDS (OEL STEL) 50 mg/m² Portugal - Occupational Exposure Limits 25 mg/m² (indicative limit value) OEL TWA 25 mg/m² (indicative limit value) OEL STEL 50 mg/m² (indicative limit value) OEL STEL 50 mg/m² (indicative limit value) Portugal - Occupational Exposure Limits Security of the policy of		20 ppm	
Depth Dep	Malta - Occupational Exposure Limits		
OE I STEL 50 mg/m² Notherlands - Occupational Exposure Limits 25 mg/m² TGG-8u (OEL TWA) 25 mg/m² 10 ppm 20 ppm TGG-15min (OEL STEL) 50 mg/m² NDS (OEL TWA) 25 mg/m² NDS (OEL STEL) 50 mg/m² Portugal - Occupational Exposure Limits 25 mg/m² (indicative limit value) OEL TWA 25 mg/m² (indicative limit value) OEL STEL 20 ppm (indicative limit value) Romania - Occupational Exposure Limits 25 mg/m² (indicative limit value) Romania - Occupational Exposure Limits 25 mg/m² (indicative limit value) OEL TWA 25 mg/m² (indicative limit value) OEL STEL 50 mg/m² (indicative limit value) Slovania - Occupational Exposure Limits 25 mg/m² Slovania - Occupational Exposure Limits 25 mg/m² <	OEL TWA	25 mg/m³	
Potential Pote		10 ppm	
Netherlands - Occupational Exposure Limits 25 mg/m² 10 ppm 20 ppm	OEL STEL	50 mg/m³	
TGG-8u (OEL TWA) 25 mg/m³ 10 ppm 50 mg/m³ TGG-15min (OEL STEL) 50 mg/m³ 20 ppm 20 ppm POILING TWA) 25 mg/m³ NDS (OEL STEL) 50 mg/m³ POTUGGI - Occupational Exposure Limits 25 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) OEL STEL 50 mg/m³ OEL TWA<		20 ppm	
10 ppm 10 ppm 10 ppm 10 ppm 10 p	Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL) 50 mg/m³ Poland - Occupational Exposure Limits 25 mg/m³ NDSC (OEL TWA) 25 mg/m³ NDSCN (OEL STEL) 50 mg/m³ Portugal - Occupational Exposure Limits 25 mg/m³ (indicative limit value) OEL TWA 25 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm 10 ppm OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm 10 ppm Slowakia - Occupational Exposure Limits 25 mg/m³ NPHV (OEL TWA) 25 mg/m³ 10 ppm 10 ppm NPHV (OEL TWA) 50 mg/m³ 10 ppm 10 ppm OEL STEL 60 mg/m³ OEL TWA 25 mg/m³ 10 ppm 10 ppm OEL TWA 25 mg/m³ 10 ppm 10 ppm Spain - Occupational Exposure Limits	TGG-8u (OEL TWA)	25 mg/m³	
Poland - Occupational Exposure Limits NDS (OEL TWA) 25 mg/m³ NDSCh (OEL STEL) 50 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 25 mg/m³ (indicative limit value) 10 ppm (indicative limit value) 20 ppm (indicative li		10 ppm	
Poland - Occupational Exposure Limits NDSC (OEL TWA) 25 mg/m³ NDSCh (OEL STEL) 50 mg/m³ Portugal - Occupational Exposure Limits 25 mg/m³ (indicative limit value) OEL TWA 25 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) Portugal - Occupational Exposure Limits 25 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 25 mg/m³ 10 ppm NPHV (OEL C) 50 mg/m³ Slovenia - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm Spain - Occupational Exposure Limits	TGG-15min (OEL STEL)	50 mg/m³	
NDS (OEL TWA) 25 mg/m³ NDSCh (OEL STEL) 50 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 25 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm 10 ppm OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm 20 ppm Slovakia - Occupational Exposure Limits 25 mg/m³ NPHV (OEL TWA) 25 mg/m³ 10 ppm 10 ppm Slovenia - Occupational Exposure Limits 25 mg/m³ Slovenia - Occupational Exposure Limits 25 mg/m³ OEL TWA 25 mg/m³ OEL TWA 25 mg/m³ OEL TWA 25 mg/m³ OEL TWA 25 mg/m³ OEL STEL 50 mg/m³ OEL STEL 50 mg/m³		20 ppm	
NDSCh (OEL STEL) 50 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 25 mg/m³ (indicative limit value) OEL STEL 50 mg/m² (indicative limit value) OEL STEL 50 mg/m² (indicative limit value) Romania - Occupational Exposure Limits 25 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 10 ppm OEL STEL 50 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 20 ppm Slovakia - Occupational Exposure Limits 25 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 20 ppm Slovakia - Occupational Exposure Limits 25 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 20 ppm Slovakia - Occupational Exposure Limits 25 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 20 ppm Slovakia - Occupational Exposure Limits 25 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 20 ppm Slovakia - Occupational Exposure Limits 25 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 20 ppm OEL STEL 50 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kP²) 20 ppm Spownia - Occupatio	Poland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits OEL TWA 25 mg/m³ (indicative limit value) 10 ppm (indicative limit value) 20 ppm (indicative limit value) 20 ppm (indicative limit value) 20 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 25 mg/m³ 10 ppm NPHV (OEL TWA) 25 mg/m³ 10 ppm Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 50 mg/m³ 10 ppm 50 mg/m³ 10 ppm 50 mg/m³ 10 ppm 50 mg/m³ 10 ppm 50 mg/m³	NDS (OEL TWA)	25 mg/m³	
OEL TWA 25 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) OEL STEL 50 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm 70 ppm Slovakia - Occupational Exposure Limits 25 mg/m³ NPHV (OEL TWA) 25 mg/m³ 10 ppm NPHV (OEL C) 50 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-ED (OEL STEL) 50 mg/m³	NDSCh (OEL STEL)	50 mg/m ³	
To ppm (indicative limit value) OEL STEL	Portugal - Occupational Exposure Limits		
OEL STEL 50 mg/m² (indicative limit value) 20 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 25 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm OEL STEL 50 mg/m² (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 25 mg/m³ 10 ppm NPHV (OEL C) 50 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 50 mg/m³ 10 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 50 mg/m³ 10 ppm	OEL TWA	25 mg/m³ (indicative limit value)	
20 ppm (indicative limit value)		10 ppm (indicative limit value)	
Commina - Occupational Exposure Limits 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm	OEL STEL	50 mg/m³ (indicative limit value)	
OEL TWA 25 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 10 ppm OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 25 mg/m³ 10 ppm NPHV (OEL C) 50 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-ED (OEL STEL) 50 mg/m³ VLA-EC (OEL STEL) 50 mg/m³		20 ppm (indicative limit value)	
101.3 kPa 10 ppm 10 ppm 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa 20 ppm 25 mg/m³ 10 ppm 10 ppm	Romania - Occupational Exposure Limits		
OEL STEL 50 mg/m³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa) 20 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 25 mg/m³ 10 ppm NPHV (OEL C) 50 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-EC (OEL STEL) 50 mg/m³	OEL TWA		
101.3 kPa) 20 ppm 20 ppm		10 ppm	
Slovakia - Occupational Exposure Limits 25 mg/m³ 10 ppm NPHV (OEL C) 50 mg/m³ Slovenia - Occupational Exposure Limits 25 mg/m³ 10 ppm OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits 25 mg/m³ 10 ppm Spain - Occupational Exposure Limits 25 mg/m³ 10 ppm Spain - Occupational Exposure Limits 25 mg/m³ 10 ppm VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-EC (OEL STEL) 50 mg/m³ 10 ppm	OEL STEL		
NPHV (OEL TWA) 25 mg/m³ 10 ppm NPHV (OEL C) 50 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-EC (OEL STEL) 50 mg/m³		20 ppm	
10 ppm	Slovakia - Occupational Exposure Limits		
NPHV (OEL C) 50 mg/m³	NPHV (OEL TWA)	25 mg/m³	
Slovenia - Occupational Exposure Limits 25 mg/m³ 10 ppm 50 mg/m³ 20 ppm		10 ppm	
OEL TWA 25 mg/m³ 10 ppm OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-EC (OEL STEL) 50 mg/m³	NPHV (OEL C)	50 mg/m ³	
10 ppm 50 mg/m³ 20 ppm 50 mg/m³ 20 ppm 50 mg/m³ 50 m	Slovenia - Occupational Exposure Limits		
OEL STEL 50 mg/m³ 20 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-EC (OEL STEL) 50 mg/m³	OEL TWA	25 mg/m³	
20 ppm		10 ppm	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-EC (OEL STEL) 50 mg/m³	OEL STEL	50 mg/m³	
VLA-ED (OEL TWA) 25 mg/m³ 10 ppm VLA-EC (OEL STEL) 50 mg/m³		20 ppm	
10 ppm VLA-EC (OEL STEL) 50 mg/m³	Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL) 50 mg/m³	VLA-ED (OEL TWA)	25 mg/m³	
		10 ppm	
20 ppm	VLA-EC (OEL STEL)	50 mg/m³	
		20 ppm	

Safety Data Sheet

acetic acid % (64-19-7)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	13 mg/m³	
	5 ppm	
KGV (OEL STEL)	25 mg/m³	
	10 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	25 mg/m³	
	10 ppm	
WEL STEL (OEL STEL)	50 mg/m³	
	20 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	25 mg/m³	
	10 ppm	
Korttidsverdi (OEL STEL)	50 mg/m³ (value from the regulation)	
	20 ppm (value from the regulation)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	25 mg/m³	
	10 ppm	
KZGW (OEL STEL)	50 mg/m ³	
	20 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH OEL STEL	15 ppm	
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzyl alcohol (100-51-6)	benzyl alcohol (100-51-6)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm	
OEL STEL	44 mg/m³	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	skin notation	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Conforms to standard.

Odor characteristic. Odor threshold Not available Melting point : Not available : Not available Freezing point Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapor pressure : Not available Vapor pressure at 50°C : Not available : Not available Density : Not available Relative density : Not available Relative vapor density at 20°C

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (ilinalation)	Not diassined	
butyric acid (107-92-6)		
LD50 oral rat	2 g/kg (Source: NLM_CIP)	
LD50 oral	1630 mg/kg body weight	
LD50 dermal rabbit	530 mg/kg (Source: NLM_HSDB)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	
ethyl acetate (141-78-6)		
LD50 oral rat	5620 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 18000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat [ppm]	4000 ppm/4h	
Ethyl acetoacetate (141-97-9)		
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)	
Caproic acid (142-62-1)		
LD50 oral rat	3 g/kg (Source: NLM_HSDB)	
LD50 oral	4000 mg/kg body weight	
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)	

Safety Data Sheet

3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (3658-77-3)		
LD50 oral	1608 mg/kg body weight	
1,2-Propanediol (57-55-6)		
LD50 oral rat	20 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)	
acetic acid % (64-19-7)		
LD50 oral rat	3310 mg/kg (Source: JAPAN_GHS)	
LD50 oral	3310 mg/kg	
LD50 dermal rabbit	1060 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	11.4 mg/l/4h	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg body weight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Skin corrosion/irritation Additional information	Not classified Based on available data, the classification criteria are not met	
acetic acid % (64-19-7)		
рН	2.4 (conc: 1 M (aqueous solution)	
Serious eye damage/irritation Additional information	Not classified Based on available data, the classification criteria are not met	
acetic acid % (64-19-7)		
рН	2.4 (conc: 1 M (aqueous solution)	
Respiratory or skin sensitization Additional information Germ cell mutagenicity Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 	
Carcinogenicity Additional information Reproductive toxicity Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 	
STOT-single exposure Additional information	 : Not classified : Based on available data, the classification criteria are not met 	
ethyl acetate (141-78-6)	. Substitution of a substitution of the architecture and the times	
STOT-single exposure	May cause drowsiness or dizziness.	
OTOT single exposure	Iviay Gause Growshiess of Gizziness.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

: Not classified

benzyl benzoate (120-51-4)

7.456 mm²/s Viscosity, kinematic

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

: Harmful to aquatic life with long lasting effects.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term (chronic)

butyric acid (107-92-6)		
EC50 72h - Algae [1]	46.7 mg/l (Species: Desmodesmus subspicatus)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
ethyl acetate (141-78-6)		
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: IUCLID)	
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Ethyl acetoacetate (141-97-9)		
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)	
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)	
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
Caproic acid (142-62-1)		
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	

Safety Data Sheet

1,2-Propanediol (57-55-6)		
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)	
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)	
acetic acid % (64-19-7)		
LC50 - Fish [1]	79 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	75 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	65 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
12.2. Persistence and degradability		

BLUE RASPBERRY #EU55129F 10% in DPG		
Persistence and degradability	Not established.	
butyric acid (107-92-6)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
isopentyl acetate (123-92-2)		
Persistence and degradability	Rapidly degradable	
ethyl acetate (141-78-6)		
Persistence and degradability	Rapidly degradable	
Ethyl acetoacetate (141-97-9)		
Persistence and degradability	Rapidly degradable	
Caproic acid (142-62-1)		
Persistence and degradability	Rapidly degradable	

	Safety Data Sheet	
according to Regulation (EC) No. 1907/2006 (REACH) with its a	amendment Regulation (EU) 2020/878	
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (3658-77-3)		
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable	
1,2-Propanediol (57-55-6)		
Persistence and degradability	Rapidly degradable	
acetic acid % (64-19-7)		
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
BLUE RASPBERRY #EU55129F 10% in DPG		
Bioaccumulative potential	Not established.	
butyric acid (107-92-6)		
Partition coefficient n-octanol/water (Log Pow)	1.1 (at 25 °C (at pH 3)	
Alcohol C-10 (112-30-1)		
D (6.1	4.5 (

BLUE RASPBERRY #EU55129F 10% in DPG			
Bioaccumulative potential	Not established.		
butyric acid (107-92-6)			
Partition coefficient n-octanol/water (Log Pow)	1.1 (at 25 °C (at pH 3)		
Alcohol C-10 (112-30-1)			
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)		
isopentyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)		
ethyl acetate (141-78-6)	ethyl acetate (141-78-6)		
BCF - Fish [1]	(30 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	0.73 (at 20 °C (at pH 7)		
Ethyl acetoacetate (141-97-9)			
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)		
Caproic acid (142-62-1)			
Partition coefficient n-octanol/water (Log Pow)	1.88		
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (3658-77-3)			
Partition coefficient n-octanol/water (Log Pow)	0.95 (at 20 °C (at pH 2.5)		
1,2-Propanediol (57-55-6)			
BCF - Fish [1]	(1 dimensionless)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,2-Propanediol (57-55-6)		
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	
acetic acid % (64-19-7)		
Partition coefficient n-octanol/water (Log Pow)	-0.17 (at 25 °C (at pH 7)	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	isopentyl acetate; ethyl acetate; acetic acid %; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	butyric acid; ethyl acetate; Caproic acid; 3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; acetic acid %; benzyl alcohol; Aldehyde C-16; benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	BLUE RASPBERRY #EU55129F 10% in DPG; Alcohol C-10; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Aldehyde C-16; benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	isopentyl acetate ; ethyl acetate ; acetic acid % ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Professional diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

None of the components are listedNone of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks
Danish National Regulations

: Emergency management guidelines for the storage of flammable liquids must be followed

: Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3	
EUH208	Contains 3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, benzyl alcohol, Aldehyde C-16. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids Category 1	
Flam. Liq. 3	Flammable liquids Category 3	
H224	Extremely flammable liquid and vapor.	
H226	Flammable liquid and vapor.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	

9/10/2024 (Issue date) EN (English US) 29/30

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1A	Skin sensitization, Category 1A	
Skin Sens. 1B	Skin sensitization, Category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.